

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A)GLYCOSIDASE?
L2 2 S THERMOPHILIC
L3 188 S L1 AND ASSAY?
L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT
L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE
L6 24552 S SYNTHESIS AND L5
L7 91 S L1 AND L6
L8 16 S L4 AND L7
L9 10 DUP REM L8 (6 DUPLICATES REMOVED)
L10 92 DUP REM L3 (96 DUPLICATES REMOVED)
L11 4 S L10 AND L5
E MATSUI I/AU
L12 621 S E3
E ISHIKAWA K/AU
L13 8313 S E3
E ISHIDA H/AU
L14 5906 S E3
E KOSUGI Y/AU
L15 454 S E3
L16 15129 S L12 OR L13 OR L14 OR L15
L17 0 S L3 AND L16
L18 4 S L1 AND L16
L19 1 DUP REM L18 (3 DUPLICATES REMOVED)

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1652MXM

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 SEP 09 CA/CAPLUS records now contain indexing from 1907 to the
present
NEWS 4 DEC 08 INPADOC: Legal Status data reloaded
NEWS 5 SEP 29 DISSABS now available on STN
NEWS 6 OCT 10 PCTFULL: Two new display fields added
NEWS 7 OCT 21 BIOSIS file reloaded and enhanced
NEWS 8 OCT 28 BIOSIS file segment of TOXCENTER reloaded and enhanced
NEWS 9 NOV 24 MSDS-CCOHS file reloaded
NEWS 10 DEC 08 CABA reloaded with left truncation
NEWS 11 DEC 08 IMS file names changed
NEWS 12 DEC 09 Experimental property data collected by CAS now available
in REGISTRY
NEWS 13 DEC 09 STN Entry Date available for display in REGISTRY and CA/CAPLUS
NEWS 14 DEC 17 DGENE: Two new display fields added
NEWS 15 DEC 18 BIOTECHNO no longer updated
NEWS 16 DEC 19 CROPU no longer updated; subscriber discount no longer
available
NEWS 17 DEC 22 Additional INPI reactions and pre-1907 documents added to CAS
databases
NEWS 18 DEC 22 IFIPAT/IFIUDB/IFICDB reloaded with new data and search fields
NEWS 19 DEC 22 ABI-INFORM now available on STN

NEWS EXPRESS DECEMBER 28 CURRENT WINDOWS VERSION IS V7.00, CURRENT
MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
AND CURRENT DISCOVER FILE IS DATED 23 SEPTEMBER 2003
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004

=> file medline embase biosis biotechds scisearch hcaplus ntis lifesci
COST IN U.S. DOLLARS SINCE FILE TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	0.63	0.63

FILE 'MEDLINE' ENTERED AT 09:53:31 ON 21 JAN 2004

FILE 'EMBASE' ENTERED AT 09:53:31 ON 21 JAN 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'BIOSIS' ENTERED AT 09:53:31 ON 21 JAN 2004
COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'BIOTECHDS' ENTERED AT 09:53:31 ON 21 JAN 2004
COPYRIGHT (C) 2004 THOMSON DERWENT AND INSTITUTE FOR SCIENTIFIC INFORMATION

FILE 'SCISEARCH' ENTERED AT 09:53:31 ON 21 JAN 2004
COPYRIGHT 2004 THOMSON ISI

FILE 'HCAPLUS' ENTERED AT 09:53:31 ON 21 JAN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'NTIS' ENTERED AT 09:53:31 ON 21 JAN 2004
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2004)

FILE 'LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

=> s beta(a)glycosidase?
L1 2031 BETA(A) GLYCOSIDASE?

=> s thremophilic
L2 2 THREMOPHILIC

=> s l1 and assay?
L3 188 L1 AND ASSAY?

=> s clon? or express? or recombinant.
4 FILES SEARCHED...
L4 6329367 CLON? OR EXPRESS? OR RECOMBINANT

=> s oligosaccharide or heterosaccharide
L5 141988 OLIGOSACCHARIDE OR HETEROSACCHARIDE

=> s synthesis and l5
L6 24552 SYNTHESIS AND L5

=> s l1 and l6
L7 91 L1 AND L6

=> s l4 and l7
L8 16 L4 AND L7

=> dup rem l8
PROCESSING COMPLETED FOR L8
L9 10 DUP REM L8 (6 DUPLICATES REMOVED)

=> d 1-10 ibib ab

L9 ANSWER 1 OF 10 BIOTECHDS COPYRIGHT 2004 THOMSON DERWENT/ISI on STN
ACCESSION NUMBER: 2003-13974 BIOTECHDS

TITLE: Solid-phase **synthesis** of **oligosaccharide**
or glycopeptide, by enzymatically glycosylating saccharide or
polypeptide acceptor molecule attached to solid support, in
the presence of a glycosynthase enzyme;
sugar and peptide production using **recombinant**
enzyme

AUTHOR: WITHERS S G; JENSEN K J; PETERSEN L; TOLBERG J L
PATENT ASSIGNEE: UNIV BRITISH COLUMBIA
PATENT INFO: WO 2003018605 6 Mar 2003
APPLICATION INFO: WO 2002-IB3915 26 Aug 2002
PRIORITY INFO: US 2001-314921 24 Aug 2001; US 2001-314921 24 Aug 2001
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2003-342444 [32]

AB DERWENT ABSTRACT:

NOVELTY - Solid-phase **synthesis** (M) of an **oligosaccharide** or a glycopeptide, involves enzymatically glycosylating a saccharide or polypeptide acceptor molecule attached to a solid support, where the enzymatic glycosylation is catalyzed by a glycosynthase enzyme.

WIDER DISCLOSURE - Also disclosed are: (1) an isolated polypeptide comprising *Agrobacterium faecalis* glycosynthase molecule, or a fragment of the polypeptide; (2) an isolated nucleic acid encoding the above mentioned polypeptide; (3) analogs of proteins or peptides which comprise *A. faecalis* glycosynthase; and (4) polypeptides which have been modified so as to improve their resistance to proteolytic degradation or to optimize solubility properties or to render them more suitable as a therapeutic agent.

BIOTECHNOLOGY - Preferred Method: The saccharide is a monosaccharide or an **oligosaccharide** comprising at least two monosaccharide units. The acceptor molecule is an amino acid, a polypeptide comprising at least two amino acids, an aminophenyl derivative of a saccharide or a paraaminophenyl derivative of a saccharide, an antibiotic, lipid or polypeptide. The glycosynthase enzyme is a mutant form of *Agrobacterium* sp. beta-glucosidase. The beta-glucosidase contains a Glu358Ser mutation or Glu358Gly mutation. The glycosynthase enzyme is a mutant form of *Cellulomonas fimi* mannosidase 2A. The mannosidase contains a Glu519Ser, Glu519Gly or Glu519Ala mutation. The glycosynthase enzyme is a mutant form of *Humicola insolens* endoglucanase-1. The endoglucanase contains a Glu198Ser, Glu198Gly or Glu198Ala mutation. The glycosynthase enzyme is a mutant form of *Sulfolobus solfataricus* **beta-glycosidase**. The **beta-glycosidase** contains a Glu387Ser, Glu387Gly or Glu387Ala mutation. The glycosynthase enzyme is a mutant form of *Bacillus licheniformis* 1,3-1,4-glucanase. The 1,3-1,4-glucanase contains a Glu134Ser, Glu134Gly or Glu134Ala mutation.

USE - (M) is useful for solid-phase **synthesis** of an **oligosaccharide** or a glycopeptide (claimed).

EXAMPLE - Polyethylene glycol polyacrylamide copolymers (PEGA) resin (3.21 g, swelled in methanol (MeOH), 9.41% w/w) was washed and derivatized with PALdehyde. Without drying after washing, the resin was subjected to reductive amination with glycine amide hydrochloride (133 mg, 1.20 mmol, 20 equivalent) in the presence of NaBH₃CN (78 mg, 1.20 mmol, 20 equiv) in AcOH-MeOH (1:99). After shaking for 24 hours, resin was washed (3xN,N-dimethylformamide (DMF), 3xDCM-MeOH (2:1), and 5xDCM). The second amino acid was coupled as the symmetrical anhydride: Fmoc-Gly-OH (178 mg, 0.60 mmol, 10 equiv) and dicyclohexyl carbodiimide (62 mg, 0.30 mmol, 5 equiv) were dissolved in freshly distilled DCM (8 ml). After stirring for 15 minutes, the reaction mixture was filtered and concentrated. Resin was washed with freshly distilled DCM (3x), the symmetrical anhydride in freshly distilled DCM (4 ml) was added, and the mixture shaken for 90 min followed by washing (3xDCM). The sequence was repeated once followed by washing (3xDCM and 3xDMF). Remaining amino groups were capped by acetylation for 16 hours, followed by washing (3xDCM and 3xDMF). An aliquot of resin was dried and treated with

piperidine-DMF (1:4) for Fmoc-quantification Ref514061979fh1 giving a loading of 0.089 mmol/g. Remaining resin was deprotected with piperidine-DMF, and then washed (5xDMF). The third amino acid (Gly) was coupled as the pentafluorophenyl (Pfp) ester: Fmoc-Gly-OPfp (85 mg, 0.18 mmol, 3.0 equiv) and HOBt (25 mg, 0.18 mmol, 3.0 equiv) were dissolved in dry DMF (2 ml) and added to the resin swelled in DMF. After shaking at 400 minutes⁻¹ for 100 minutes, the resin was drained, washed twice with DMF and deprotected as above. The fourth amino acid (glucosylated Tyr) was again coupled as the Pf-ester: Fmoc-Tyr(BzO4-beta-D-Glc)-OPfp and HOBt (16 mg, 0.12 mmol, 2.0 equiv) were dissolved in dry DMF (2 ml) and added to the resin. After shaking at 400 minutes⁻¹ for 16 hours, the resin was drained, washed twice with DMF and deprotected as above. The fifth and last amino acid (Gly) was coupled as N-acetylglycine using BOP/HOBt: N-acetylglycine (35 mg, 0.30 mmol, 5.0 equiv), BOP (132 mg, 0.30 mol, 5.0 equiv), and HOBt (40 mg, 0.30 mmol, 5.0 equiv) was dissolved in dry DMF (2.5 ml). After 5 min, DIEA was added (103 ml, 0.60 mmol, 10 equiv) and the mixture was added to the resin. After shaking for 16 hours, the resin was drained and washed. An aliquot was cleaved. reverse phase-high performance liquid chromatography (RP-HPLC) (215 nm) indicated purity of approximately 85% and the identity of the product was established. Remaining resin was washed and deprotected until no methyl benzoate could be detected in the liquid. Resin was washed. A sample was cleaved and analyzed. To improve the chromatographic properties another aliquot of resin was acetylated and cleaved. RP-HPLC indicated purity of approximately 94% and identity of the product was again established. At this point, remaining resin was collapsed with increasing amounts of diethyl ether in DCM as described above and dried in vacuo. The remainder of the non-acetylated resin above (199.4 mg) was subjected to enzymatic glycosylation using desalted Abg E358G (1.0 mg/ml) and 20 mg a-D-galactosyl fluoride (36.4 mg, 0.20 mmol) in 100 mM NaPi at pH 9.00 (total 10.0 ml) for 48 hours. After washing, acetylation, and cleavage as above, the residue was treated with dry diethyl ether and concentrated to obtain 19 mg of crude product. RP-HPLC indicated 52% conversion and the identity of the product was established. Purification of the mixture by preparative HPLC yielded 3.8 mg of monosaccharide glycopeptide and 6.3 mg of disaccharide glycopeptide. This corresponded to yields of 28 and 33%, respectively, or a total of 61% based on Fmoc-Quantification of second amino acid. (51 pages)

L9 ANSWER 2 OF 10 MEDLINE on STN DUPLICATE 1
 ACCESSION NUMBER: 2003361724 MEDLINE
 DOCUMENT NUMBER: 22744263 PubMed ID: 12859194
 TITLE: Activity of hyperthermophilic glycosynthases is significantly enhanced at acidic pH.
 AUTHOR: Perugino Giuseppe; Trincone Antonio; Giordano Assunta; van der Oost John; Kaper Thijs; Rossi Mose; Moracci Marco
 CORPORATE SOURCE: Institute of Protein Biochemistry-Consiglio Nazionale delle Ricerche, Via P. Castellino 111, 80131, Naples Italy.
 SOURCE: BIOCHEMISTRY, (2003 Jul 22) 42 (28) 8484-93.
 Journal code: 0370623. ISSN: 0006-2960.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 200310
 ENTRY DATE: Entered STN: 20030805
 Last Updated on STN: 20031008
 Entered Medline: 20031006

AB We have previously shown that the hyperthermophilic glycosynthase from *Sulfolobus solfataricus* (Ssbeta-glyE387G) can promote the **synthesis** of branched **oligosaccharides** from activated beta-glycosides, at pH 6.5, in the presence of 2 M sodium formate as an external nucleophile. In an effort to increase the synthetic potential of hyperthermophilic glycosynthases, we report a new method to reactivate the

Ssbeta-glyE387G glycosynthase and two novel mutants in the nucleophile of the **beta-glycosidases** from the hyperthermophilic Archaea Thermosphaera aggregans (Tabeta-gly) and Pyrococcus furiosus (CelB). We describe here that, at pH 3.0 and low concentrations of sodium formate buffer, the three hyperthermophilic glycosynthases show k(cat) values similar to those of the wild-type enzymes and 17-fold higher than those observed at the usual reactivation conditions in 2 M sodium formate at pH 6.5. Moreover, at acidic pH the three reactivated mutants have wide substrate specificity and improved efficiency in the synthetic reaction. The data reported suggest that the reactivation conditions modify the ionization state of the residue acting as an acid/base catalyst. This new reactivation method can be of general applicability on hyperthermophilic glycosynthases whose intrinsic stability allows their exploitation as synthetic tools at low pH.

L9 ANSWER 3 OF 10 MEDLINE on STN DUPLICATE 2
 ACCESSION NUMBER: 2003439642 IN-PROCESS
 DOCUMENT NUMBER: PubMed ID: 12747805
 TITLE: Enhanced **expression** of the gene for **beta-glycosidase** of Thermus caldophilus GK24 and **synthesis** of galacto-oligosaccharides by the enzyme.
 AUTHOR: Choi Jeong Jin; Oh Eun-Joo; Lee Yoon-Jin; Suh Dong Sang; Lee Jae Heung; Lee Soo-Won; Shin Hyung-Tai; Kwon Suk-Tae
 CORPORATE SOURCE: Department of Genetic Engineering, Sungkyunkwan University, 300 Chunchun-Dong, Jangan-Ku, Suwon 440-746, South Korea.
 SOURCE: Biotechnology and applied biochemistry, (2003 Oct) 38 (Pt 2) 131-6.
 Journal code: 8609465. ISSN: 0885-4513.
 PUB. COUNTRY: England; United Kingdom
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: IN-PROCESS; NONINDEXED; Priority Journals
 ENTRY DATE: Entered STN: 20030923
 Last Updated on STN: 20031218
 AB The gene (bglT) encoding Tca **beta-glycosidase** (Thermus caldophilus GK24 **beta-glycosidase**) was overexpressed under the control of the trp promoter on a high-copy-number plasmid, pTRPES, in Escherichia coli W3110. The purified Tca **beta-glycosidase** enzyme was used in a galactosyl-transfer reaction to synthesize galacto-oligosaccharides from lactose. The optimum temperature and pH for the enzyme to synthesize galacto-oligosaccharides from 30% (w/v) lactose were 80 degrees C and 6.0, respectively. The major product of the reaction was a trisaccharide. The thermostable Tca **beta-glycosidase** produced galacto-oligosaccharides efficiently during the hydrolysis of lactose.

L9 ANSWER 4 OF 10 BIOTECHDS COPYRIGHT 2004 THOMSON DERWENT/ISI on STN
 ACCESSION NUMBER: 2001-11222 BIOTECHDS
 TITLE: **Synthesis** of beta-D-glucosyl- and beta-D-fucosyl-glucoses using **beta-glycosidase** from Thermus thermophilus; **recombinant enzyme expression** in Escherichia coli for use in **oligosaccharide** production
 AUTHOR: Fourage L; *Colas B
 CORPORATE SOURCE: CNRS; Univ.Nantes
 LOCATION: Lab. de Biochimie, Unite de Recherche sur la Biocatalyse, CNRS 2230, Faculte des Sciences et des Techniques, Universite de Nantes, 2 rue de la Houssiniere BP 92208, 44322 Nantes, Cedex 3, France.
 Email: bernard.colas@chimbio.univ-nantes.fr
 SOURCE: Appl.Microbiol.Biotechnol.; (2001) 56, 3-4, 406-10
 CODEN: EJABDD

ISSN: 0175-7598

DOCUMENT TYPE: Journal
LANGUAGE: English

AB The thermostable **beta-glycosidase** from *Thermus thermophilus* was **cloned** and overexpressed in *Escherichia coli* and used to catalyze the transfer of beta-D-glucosyl and beta-D-fucosyl from the corresponding p-nitrophenyl-beta-D-glycopyranosides to a hydroxyl group of glucose in the **synthesis** of beta-D-glucosyl-D-glucopyranoses and beta-D-fucosyl-D-glucopyranoses. The yields in disaccharides produced under conditions of non-initial velocity were very attractive and the formation of the beta(1-3) linked disaccharides was largely favored. The enzyme could constitute a valuable biocatalyst for the **synthesis** of disaccharides involving such structures as, for example Bifidus factors. (21 ref)

L9 ANSWER 5 OF 10 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN

ACCESSION NUMBER: 2001:677233 SCISEARCH

THE GENUINE ARTICLE: 465UP

TITLE: **Synthesis** of beta-D-glucosyl- and beta-D-fucosyl-glucoses using **beta-glycosidase** from *Thermus thermophilus*

AUTHOR: Fourage L; Colas B (Reprint)

CORPORATE SOURCE: Univ Nantes, Fac Sci & Tech, CNRS 2230, Unite Rech Biocatalyse, Lab Biochim, 2 Rue Houssiniere BP 92208, F-44322 Nantes 3, France (Reprint); Univ Nantes, Fac Sci & Tech, CNRS 2230, Unite Rech Biocatalyse, Lab Biochim, F-44322 Nantes 3, France

COUNTRY OF AUTHOR: France

SOURCE: APPLIED MICROBIOLOGY AND BIOTECHNOLOGY, (AUG 2001) Vol. 56, No. 3-4, pp. 406-410.

Publisher: SPRINGER-VERLAG, 175 FIFTH AVE, NEW YORK, NY 10010 USA.

ISSN: 0175-7598.

DOCUMENT TYPE: Article; Journal

LANGUAGE: English

REFERENCE COUNT: 21

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

AB The thermostable **beta-glycosidase** from *Thermus thermophilus*, **cloned** and overexpressed in *Escherichia coli* was used to catalyze the transfer of beta-D-glucosyl and beta-D-fucosyl from the corresponding p-nitrophenyl-beta-D-glycopyranosides to a hydroxyl group of glucose in the **synthesis** of beta-D-glucosyl-D-glucopyranoses and beta-D-fucosyl-D-glucopyranoses. The yields in disaccharides produced under conditions of non-initial velocity were very attractive and the formation of the beta (1-3) linked disaccharides was largely favored. The enzyme could constitute a valuable biocatalyst for the **synthesis** of disaccharides involving such structures as, for example, Bifidus factors.

L9 ANSWER 6 OF 10 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN

ACCESSION NUMBER: 2002:18108 SCISEARCH

THE GENUINE ARTICLE: 506BG

TITLE: Tailoring the substrate specificity of the **beta-glycosidase** from the thermophilic archaeon *Sulfolobus solfataricus*

AUTHOR: Corbett K; Fordham-Skelton A P; Gatehouse J A; Davis B G (Reprint)

CORPORATE SOURCE: Univ Durham, Dept Chem, South Rd, Durham DH1 3LE, England (Reprint); Univ Durham, Dept Chem, Durham DH1 3LE, England; Univ Durham, Dept Biol Sci, Durham DH1 3LE, England; Univ Durham, Res Ctr Biol Chem, Durham DH1 3LE, England; Univ Oxford, Dyson Perrins Lab, Oxford OX1 3QY, England; SERC, Daresbury Lab, CLRC, Warrington WA4 4AD, Cheshire, England

COUNTRY OF AUTHOR: England
 SOURCE: FEBS LETTERS, (14 DEC 2001) Vol. 509, No. 3, pp. 355-360.
 Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE
 AMSTERDAM, NETHERLANDS.
 ISSN: 0014-5793.
 DOCUMENT TYPE: Article; Journal
 LANGUAGE: English
 REFERENCE COUNT: 40

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

AB The substrate specificity of the thermophilic **beta** -
glycosidase (lacS) from the archaeon *Sulfolobus solfataricus* (SS
 betaG), a member of the glycohydrolase family 1, has been analysed at a
 molecular level using predictions from known protein sequences and
 structures and through site-directed mutagenesis. Three critical residues
 were identified and mutated to create catalysts with altered and broadened
 specificities for use in glycoside **synthesis**. The wild-type (WT)
 and mutated sequences were **expressed** as **recombinant**
 fusion proteins in *Escherichia coli*, with an added His(6)-tag to allow
 one-step chromatographic purification. Consistent with side-chain
 orientation towards OH-6, the single Met439 --> Cys mutation enhances
 D-xylosidase specificity 4.7-fold and decreases D-fucosidase activity
 2-fold without greatly altering its activity towards other D-glycoside
 substrates. Glu432 --> Cys and Trp433 --> Cys mutations directed towards
 OH-4 and -3, respectively, more dramatically impair glucose (Glc),
 galactose (Gal), fucose specificity than for other glycosides, resulting
 in two glycosidases with greatly broadened substrate specificities. These
 include the first examples of stereospecificity tailoring in glycosidases
 (e.g. WT --> W433C, k(cat)/K-m (Gal):k(cat)/K-M (mannose (Man))=29.4:1
 -->1.2:1). The robustness and high utility of these broad specificity SS
 betaG mutants in parallel **synthesis** were demonstrated by the
 formation of libraries of P-glycosides of Glc, Gal, xylose, Man in one-pot
 preparations at 50 degreesC in the presence of organic solvents, that
 could not be performed by SS betaG-WT. (C) 2001 Federation of European
 Biochemical Societies. Published by Elsevier Science B.V. All rights
 reserved.

L9 ANSWER 7 OF 10 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN
 ACCESSION NUMBER: 1999:496230 SCISEARCH
 THE GENUINE ARTICLE: 208XA
 TITLE: **Cloning and expression of a**
beta-glycosidase gene from *Thermus*
thermophilus. Sequence and biochemical characterization of
 the encoded enzyme
 AUTHOR: Dion M; Fourage L; Hallet J N; Colas B (Reprint)
 CORPORATE SOURCE: UNIV NANTES, FAC SCI & TECH, UNITE RECH BIOCATALYSE, 2 RUE
 HOUSSINIERE, BP 92208, F-44322 NANTES 3, FRANCE (Reprint);
 UNIV NANTES, FAC SCI & TECH, UNITE RECH BIOCATALYSE,
 F-44322 NANTES 3, FRANCE
 COUNTRY OF AUTHOR: FRANCE
 SOURCE: GLYCOCONJUGATE JOURNAL, (JAN 1999) Vol. 16, No. 1, pp.
 27-37.
 Publisher: KLUWER ACADEMIC PUBL, SPUIBOULEVARD 50, PO BOX
 17, 3300 AA DORDRECHT, NETHERLANDS.
 ISSN: 0282-0080.
 DOCUMENT TYPE: Article; Journal
 FILE SEGMENT: LIFE
 LANGUAGE: English
 REFERENCE COUNT: 67

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

AB A 3.2 kilobase pair DNA fragment from *Thermus thermophilus* HB27 coding
 for a beta-galactosidase activity was **cloned** and sequenced. A
 gene and a truncated open reading frame orf1 encoding respectively a
beta-glycosidase (tt beta-gly) and probably a sugar
 permease were located directly adjacent to each other. The deduced

aminoacid sequence of the enzyme Tt beta-gly showed strong identity with those of **beta-glycosidases** belonging to the glycosyl hydrolase family 1. The enzyme was overexpressed in Escherichia coli and was purified by a two-step purification procedure. The **recombinant** enzyme is monomeric with a molecular mass of 49-kDa. It catalyzes the hydrolysis of beta-D-galactoside, beta-D-glucoside and beta-D-fucoside derivatives. However, the kcat/Km ratio is much higher for p-nitrophenyl-beta-D-glucoside and p-nitrophenyl-beta-D-fucoside than for p-nitrophenyl-beta-D-galactoside. The specificity towards linkage positions of the disaccharides tested decreased in the following order: beta 1-3 (100%). beta 1-2 (71%). beta 1-4 (40%). beta 1-6 (10%). Tt beta-gly is a thermostable enzyme displaying an optimum temperature of 88 degrees C and a half life of 10 min at 90 degrees C. It performs transglycosylation reactions at high temperature with a yield exceeding 63% for transfucosylation reactions. On the basis of this work, the enzyme appears to be an attractive tool in the **synthesis** of fucosyl adducts and fucosyl sugars.

L9 ANSWER 8 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1995:342079 HCAPLUS
DOCUMENT NUMBER: 122:265810
TITLE: Enzymic **synthesis** of carbohydrate derivatives using **.beta.-glycosidase** of Sulfolobus solfataricus.

AUTHOR(S): Trincone, A.; Improta, R.; Nucci, R.; Rossi, M.; Gambacorta, A.

CORPORATE SOURCE: Istituto per la Chimica di Molecole di Interesse Biologico, CNR, Arco, 80072, Italy

SOURCE: Biocatalysis (1994), 10(1-4), 195-210
CODEN: BIOCED; ISSN: 0886-4454

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Enzymic **synthesis** of different .beta.-D-glycosides was obtained using as biocatalyst immobilized cells, crude homogenate, and homogeneous native and **recombinant .beta.-glycosidase** activity of the thermophilic archaeon S. solfataricus. In particular our investigation was concerned with the selectivity in the glycosidation of hydroxybenzyl alcs., salicin, 1,2-propanediol, and more complex polyols as well as the use of immobilized cells for the **synthesis** of hexyl .beta.-D-glucoside. The arom. glucosides obtained by enzyme-catalyzed transglucosidation were used for kinetics studies of purified Sulfolobus solfataricus enzyme in the hydrolysis reaction.

L9 ANSWER 9 OF 10 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN DUPLICATE 3

ACCESSION NUMBER: 95:312174 SCISEARCH

THE GENUINE ARTICLE: QV301

TITLE: THERMOSTABLE **BETA-GLYCOSIDASE** FROM SULFOLOBUS-SOLFATARICUS

AUTHOR: MORACCI M; CIARAMELLA M; NUCCI R; PEARL L H; SANDERSON I; TRINCONI A; ROSSI M (Reprint)

CORPORATE SOURCE: INST PROT BIOCHEM & ENZYMOL, VIA MARCONI 10, I-80125 NAPLES, ITALY (Reprint); INST PROT BIOCHEM & ENZYMOL, I-80125 NAPLES, ITALY; IST CHIM MOLEC INTERESSE BIOL, I-80072 NAPLES, ITALY; UNIV LONDON UNIV COLL, DEPT BIOCHEM & MOLEC BIOL, LONDON WC1E 6BT, ENGLAND

COUNTRY OF AUTHOR: ITALY; ENGLAND

SOURCE: BIOCATALYSIS, (1994) Vol. 11, No. 2, pp. 89-103.
ISSN: 0886-4454.

DOCUMENT TYPE: Article; Journal

FILE SEGMENT: LIFE

LANGUAGE: ENGLISH

REFERENCE COUNT: 21

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

AB The Sulfolobus solfataricus **beta-glycosidase** (S

beta gly) is a thermostable and thermophilic glycosyl-hydrolase with broad substrate specificity. The enzyme hydrolizes beta-D-glucos-, fuco-, and galactosides, and a large number of beta-linked glycoside dimers and oligomers, linked beta 1-3, beta 1-4, and beta 1-6. It is able to hydrolize **oligosaccharides** with up to 5 glucose residues. Furthermore, it is also able to promote transglycosylation reactions. The corresponding gene has been **cloned** and overexpressed both in yeast and Escherichia coli. Based on sequence acid functional data, the S beta gly has been assigned to the so-called EGA family of glycosyl-hydrolases, including **beta-glycosidases**, **beta-galactosidases** and phospho-beta-galactosidases from mesophilic and thermophilic organisms of the three domains. The S beta gly has been crystallized and the resolution of its structure is in progress. Because of its special properties, the enzymes has considerable biotechnological potential.

L9 ANSWER 10 OF 10 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 ACCESSION NUMBER: 1982:222786 BIOSIS
 DOCUMENT NUMBER: PREV198273082770; BA73:82770
 TITLE: STRUCTURE AND **EXPRESSION** OF GLYCO PROTEINS
 CONTROLLED BY THE Qa-1 A ALLELE.
 AUTHOR(S): ROTHENBERG E [Reprint author]; TRIGLIA D
 CORPORATE SOURCE: SALK INSTITUTE, DEP CANCER BIOL, POST OFFICE BOX 8500, SAN
 DIEGO, CALIF 92138, USA
 SOURCE: Immunogenetics, (1981) Vol. 14, No. 6, pp. 455-468.
 CODEN: IMNGBK. ISSN: 0093-7711.
 DOCUMENT TYPE: Article
 FILE SEGMENT: BA
 LANGUAGE: ENGLISH

AB The alloantigen controlled by the Qa-1a allele is a glycoprotein that exists in 2 forms. The 1st, an intracellular molecule of apparent MW of 44,000 daltons, appears to be a kinetic precursor of the 2nd, a cell-surface molecule with an apparent size of 47,000 daltons. The intracellular form of Qa-1 is distinct from that of the TL glycoprotein in 2 ways: its polypeptide backbone is approximately 5000 daltons shorter, and it possesses 3 sites of high-mannose carbohydrate attachment, while TL has only one. In the cell-surface form of Qa-1, all 3 carbohydrate chains are processed to structures that resist endoglycosidase H digestion, presumably complex-type **oligosaccharides**. Concomitant with these late carbohydrate-processing steps is the formation of stable complexes between Qa-1 and .beta.2-microglobulin. The timing of this association provides a further contrast between Qa-1 and TL, which is associated with .beta.2-microglobulin shortly after its **synthesis**. The Qa-1 glycoproteins were identified genetically by their **synthesis** in B6-Tl+ (Qa-1a/Tlaa) splenocytes but not in splenocytes of congenic B6.K1 and B6.K2 (Qa-1b/Tlab) mice, and by their absence from the products of BALB/c (Qa-1b/Tlac) splenocytes. The cells synthesizing Qa-1 are at least as prevalent in Ig+ spleen-cell populations as in T cell-enriched splenic Ig populations. Active Qa-1 **synthesis** appears to take place at a high rate in normal splenic B cells without mitogenic stimulation.

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A) GLYCOSIDASE?
 L2 2 S THERMOPHILIC
 L3 188 S L1 AND ASSAY?
 L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT
 L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE

L6 24552 S SYNTHESIS AND L5
L7 91 S L1 AND L6
L8 16 S L4 AND L7
L9 10 DUP REM L8 (6 DUPLICATES REMOVED)

=> dup rem l3
PROCESSING COMPLETED FOR L3
L10 92 DUP REM L3 (96 DUPLICATES REMOVED)

=> s l10 and l5
7 FILES SEARCHED...
L11 4 L10 AND L5

=> d 1-4 ibib ab

L11 ANSWER 1 OF 4 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

ACCESSION NUMBER: 2003081409 EMBASE
TITLE: Maillard reactions and increased enzyme inactivation during
oligosaccharide synthesis by a hyperthermophilic
glycosidase.
AUTHOR: Bruins M.E.; Van Hellemond E.W.; Janssen A.E.M.; Boom R.M.
CORPORATE SOURCE: M.E. Bruins, Department of Food Technology, Food/Bioprocess
Engineering Group, Wageningen University, P.O. Box 8129,
6700 EV, Wageningen, Netherlands.
Marieke.Bruins@Algemeen.pk.wau.nl
SOURCE: Biotechnology and Bioengineering, (5 Mar 2003) 81/5
(546-552).
Refs: 21
ISSN: 0006-3592 CODEN: BIBIAU
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

AB The thermostable *Pyrococcus furiosus* **.beta.-glycosidase**
was used for **oligosaccharide** production from lactose in a
kinetically controlled reaction. Our experiments showed that higher
temperatures are beneficial for the absolute as well as relative
oligosaccharide yield. However, at reaction temperatures of
80.degree.C and higher, the inactivation rate of the enzyme in the
presence of sugars was increased by a factor of 2 compared to the
inactivation rate in the absence of sugars. This increased enzyme
inactivation was caused by the occurrence of Maillard reactions between
the sugar and the enzyme. The browning of our reaction mixture due to
Maillard reactions was modeled by a cascade of a zeroth- and first-order
reaction and related to enzyme inactivation. From these results we
conclude that modification of only a small number of amino groups already
gives complete inactivation of the enzyme. .COPYRGT. 2003 Wiley
Periodicals.

L11 ANSWER 2 OF 4 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

ACCESSION NUMBER: 2001350554 EMBASE
TITLE: Production of a lactose-free galacto-
oligosaccharide mixture by using selective
enzymatic oxidation of lactose into lactobionic acid.
AUTHOR: Splechtna B.; Petzelbauer I.; Baminger U.; Haltrich D.;
Kulbe K.D.; Nidetzky B.
CORPORATE SOURCE: B. Nidetzky, Division of Biochemical Engineering, Institute
of Food Technology, Univ. fur Bodenkultur Wien (BOKU),
Muthgasse 18, A-1190 Wien, Vienna, Austria.
nide@edv2.boku.ac.at
SOURCE: Enzyme and Microbial Technology, (4 Oct 2001) 29/6-7

(434-440).

Refs: 21

ISSN: 0141-0229 CODEN: EMTED2

PUBLISHER IDENT.: S 0141-0229(01)00412-4

COUNTRY: United States

DOCUMENT TYPE: Journal; Article

FILE SEGMENT: 004 Microbiology

LANGUAGE: English

SUMMARY LANGUAGE: English

AB We report a novel and efficient way of producing lactose-derived galacto-**oligosaccharides** (GOS) that do not contain remaining lactose and monosaccharides. The initial sugar mixture was obtained by enzymatic transformation at 70.degree.C of a lactose solution of 270 g/liter using recombinant **beta-glycosidase** from the Archaeon *Sulfolobus solfataricus*. At the optimum reaction time for kinetically controlled transgalactosylation, it contained 46% monosaccharides, 13% lactose and 41% GOS. Lactose was selectively oxidised into lactobionic acid by using fungal cellobiose dehydrogenase which displays a .apprxeq.100-fold preference for reaction with lactose compared to reaction with GOS. Oxidation of lactose was coupled to reduction of 2,6-dichloro-indophenol which was added in catalytic concentrations. The oxidised redox mediator was regenerated continuously by fungal laccase-catalysed reduction of molecular oxygen into water. Ion exchange chromatographies were employed to remove lactobionic acid, other ions and monosaccharides. The final product contained 97% GOS, 1.2% lactose and 2.1% monosaccharides. The yield accounted for 25% of original lactose. An enzymatic **assay** for lactose has been developed. It is robust and allows sensitive quantification of the analyte in complex sugar mixtures containing large excesses of monosaccharides and GOS. .COPYRGT. 2001 Elsevier Science Inc. All rights reserved.

L11 ANSWER 3 OF 4 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1999:490462 BIOSIS
DOCUMENT NUMBER: PREV199900490462
TITLE: beta-Galactooligosaccharide synthesis with
beta-galactosidases from *Sulfolobus solfataricus*,
Aspergillus oryzae, and *Escherichia coli*.
AUTHOR(S): Reuter, Stephan; Nygaard, Anne Rusborg; Zimmermann,
Wolfgang [Reprint author]
CORPORATE SOURCE: Biotechnology Laboratory, University of Aalborg,
Sohnsgaardsholmsvej 57, DK-9000, Aalborg, Denmark
SOURCE: Enzyme and Microbial Technology, (Sept., 1999) Vol. 25, No.
6, pp. 509-516. print.
CODEN: EMTED2. ISSN: 0141-0229.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 16 Nov 1999
Last Updated on STN: 16 Nov 1999

AB The synthetic potential of the thermostable **beta-glycosidase** from *Sulfolobus solfataricus* was compared with those of the commercially available, thermotolerant beta-galactosidase (beta-D)-galactoside galactohydrolase, EC 3.2.1.23) from *Aspergillus oryzae* and the nonthermostable beta-galactosidase from *Escherichia coli*. To synthesize beta-galactooligosaccharides at different temperatures, the transglycosylation approach with lactose as donor and N-acetyllactosamine as acceptor was chosen as a model reaction. Generally, the *S. solfataricus* enzyme gave the highest yields (48%), followed by the *A. oryzae* (36%) and the *E. coli* beta-galactosidases (32%). The main products obtained with the thermostable **beta-glycosidase** from *S. solfataricus* were beta-D-Gal-(1-6)-D-GlcNAc, beta-D-Gal-(1-4)-D-GlcNAc and several **oligosaccharides**. The enzyme from *A. oryzae* gave a similar product pattern but lower yields. beta-D-Gal-(1-6)-D-GlcNAc was formed as the main disaccharide by the *E. coli* beta-galactosidase, and other products could only be detected in trace amounts.

L11 ANSWER 4 OF 4 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 ACCESSION NUMBER: 1985:254867 BIOSIS
 DOCUMENT NUMBER: PREV198579034863; BA79:34863
 TITLE: EFFECT OF CASTANOSPERMINE ON THE STRUCTURE AND SECRETION OF
 GLYCOPROTEIN ENZYMES IN ASPERGILLUS-FUMIGATUS.
 AUTHOR(S): ELBEIN A D [Reprint author]; MITCHELL M; MOLYNEUX R J
 CORPORATE SOURCE: DEP BIOCHEM, UNIV TEXAS HEALTH SCI CENT, SAN ANTONIO, TEX
 78284, USA
 SOURCE: Journal of Bacteriology, (1984) Vol. 160, No. 1, pp. 67-75.
 CODEN: JOBAAY. ISSN: 0021-9193.
 DOCUMENT TYPE: Article
 FILE SEGMENT: BA
 LANGUAGE: ENGLISH

AB A. fumigatus secretes a number of glycosidases into the culture medium when the cells are grown in a mineral salts medium containing guar flour (a galactomannan) as the C source. At least some of these glycosidases were reported to be glycoproteins having N-linked **oligosaccharides**. The effect of the glycoprotein processing inhibitor, castanospermine, on the structures of the N-linked **oligosaccharides** and on the secretion of various glycosidases was studied. Cells were grown in the presence of various amounts of castanospermine; at different times of growth, samples of the media were removed for the measurement of enzymatic activity. Of the 3 glycosidases **assayed**, .beta.-hexosaminidase was most sensitive to castanospermine; and its activity was depressed 30-40% at 100 .mu.g of alkaloid/ml and even more at higher alkaloid concentrations. On the other hand, .beta.-galactosidase activity was hardly diminished at castanospermine levels of up to 1 mg/ml, but significant inhibition was observed at 2 mg/ml. .beta.-Galactosidase was intermediate in sensitivity. Cells were grown in the presence or absence of castanospermine and labeled with [2-3H]mannose, [6-3H]glucosamine, or [1-3H]galactose to label the sugar portion of the glycoproteins. The secreted glycoproteins were digested with pronase to obtain glycopeptides, and these were identified on Bio-Gel P-4 (Bio-Rad Laboratories). The glycopeptides were then digested with endoglucosaminidase H to release the peptide portion of susceptible structures, and the released **oligosaccharides** were reisolated and identified on Bio-Gel P-4. The **oligosaccharides** from control and castanospermine-grown cells were identified by a combination of enzymatic and chemical studies. In control cells, the **oligosaccharide** appeared to be mostly Man8GlcNAc and Man9GlcNAc, whereas in the presence of alkaloid, the major structures were Glc3Man7GlcNAc and Glc3Man8GlcNAc. These data fit previous observations that castanospermine inhibits glucosidase I.

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A)GLYCOSIDASE?
 L2 2 S THREMOPHILIC
 L3 188 S L1 AND ASSAY?
 L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT
 L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE
 L6 24552 S SYNTHESIS AND L5
 L7 91 S L1 AND L6
 L8 16 S L4 AND L7
 L9 10 DUP REM L8 (6 DUPLICATES REMOVED)
 L10 92 DUP REM L3 (96 DUPLICATES REMOVED)
 L11 4 S L10 AND L5

=> d l10 1-92 ibib

L10 ANSWER 1 OF 92 MEDLINE on STN DUPLICATE 1
ACCESSION NUMBER: 2003597297 IN-PROCESS
DOCUMENT NUMBER: PubMed ID: 14678161
TITLE: Effect of wine yeast monoculture practice on the
biodiversity of non-Saccharomyces yeasts.
AUTHOR: Ganga M A; Martinez C
CORPORATE SOURCE: Centro de Estudios en Ciencia y Tecnologia de los Alimentos
(CECTA) Departamento de Ciencia y Tecnologia de los
Alimentos, Facultad Tecnologica, Universidad de Santiago de
Chile, Chile.
SOURCE: Journal of applied microbiology, (2004) 96 (1) 76-83.
Journal code: 9706280. ISSN: 1364-5072.
PUB. COUNTRY: England; United Kingdom
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: IN-DATA-REVIEW; IN-PROCESS; NONINDEXED; Priority Journals
ENTRY DATE: Entered STN: 20031218
Last Updated on STN: 20031218

L10 ANSWER 2 OF 92 BIOTECHDS COPYRIGHT 2004 THOMSON DERWENT/ISI on STN
ACCESSION NUMBER: 2003-10795 BIOTECHDS
TITLE: Novel isolated L-arabinose isomerase active enzyme derived
from Thermoanaerobacter sp. capable of isomerizing
D-galactose to D-tagatose, useful for producing D-tagatose;
involving vector-mediated gene transfer and expression in
host cell for use in aldose conversion and ketose and
D-tagatose preparation
AUTHOR: HANSEN O C; JORGENSEN F; STOUGAARD P; BERTELSEN H; BOTTCHER
K; CHRISTENSEN H J S; ERIKNAUER K
PATENT ASSIGNEE: BIOTEKNOLOGISK INST
PATENT INFO: WO 2003008593 30 Jan 2003
APPLICATION INFO: WO 2002-DK498 15 Jul 2002
PRIORITY INFO: US 2001-905108 16 Jul 2001; US 2001-305155 16 Jul 2001
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2003-239341 [23]

L10 ANSWER 3 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
ACCESSION NUMBER: 2003081409 EMBASE
TITLE: Maillard reactions and increased enzyme inactivation during
oligosaccharide synthesis by a hyperthermophilic
glycosidase.
AUTHOR: Bruins M.E.; Van Hellemond E.W.; Janssen A.E.M.; Boom R.M.
CORPORATE SOURCE: M.E. Bruins, Department of Food Technology, Food/Bioprocess
Engineering Group, Wageningen University, P.O. Box 8129,
6700 EV, Wageningen, Netherlands.
Marieke.Bruins@Algemeen.pk.wau.nl
SOURCE: Biotechnology and Bioengineering, (5 Mar 2003) 81/5
(546-552).
Refs: 21
ISSN: 0006-3592 CODEN: BIBIAU
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 4 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:293894 HCAPLUS
DOCUMENT NUMBER: 136:320313
TITLE: High throughput or capillary-based screening of
libraries of compounds for biological activities

INVENTOR(S): Short, Jay M.; Keller, Martin; Lafferty, William Michael
 PATENT ASSIGNEE(S): Diversa Corporation, USA
 SOURCE: PCT Int. Appl., 229 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 40
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002031203	A2	20020418	WO 2001-US31806	20011010
WO 2002031203	C2	20030703		
WO 2002031203	A3	20030925		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 756201	B2	20030109	AU 2000-48933	20000731
AU 2000048933	A5	20001005		
US 2001041333	A1	20011115	US 2000-738871	20001215
US 2002048809	A1	20020425	US 2001-790321	20010221
US 2002086279	A1	20020704	US 2001-875412	20010606
US 6677115	B2	20040113		
US 2002015997	A1	20020207	US 2001-894956	20010627
AU 2002011642	A5	20020422	AU 2002-11642	20011010
EP 1364052	A2	20031126	EP 2001-979708	20011010
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				

PRIORITY APPLN. INFO.:
 US 2000-685432 A2 20001010
 US 2000-738871 A2 20001215
 US 2001-790321 A2 20010221
 US 2001-894956 A2 20010627
 US 2001-309101P P 20010731
 AU 1997-11489 A3 19961206
 US 1997-876276 A2 19970616
 US 1997-988224 A1 19971210
 US 1998-98206 A2 19980616
 US 1999-444112 A2 19991122
 US 2000-636778 A2 20000811
 US 2000-687219 A2 20001012
 WO 2001-US31806 W 20011010

L10 ANSWER 5 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2002:220779 HCAPLUS
 DOCUMENT NUMBER: 136:258268
 TITLE: Combinatorial screening of libraries from mixed populations of organisms for the identification of novel biologically active substances
 INVENTOR(S): Short, Jay M.
 PATENT ASSIGNEE(S): Diversa Corporation, USA
 SOURCE: PCT Int. Appl., 154 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 40
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002022810	A2	20020321	WO 2001-US29712	20010917
WO 2002022810	A3	20030227		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 756201	B2	20030109	AU 2000-48933	20000731
AU 2000048933	A5	20001005		
US 2002086279	A1	20020704	US 2001-875412	20010606
US 6677115	B2	20040113		
AU 2001091208	A5	20020326	AU 2001-91208	20010917
EP 1319068	A2	20030618	EP 2001-971309	20010917
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
PRIORITY APPLN. INFO.:			US 2000-663620	A2 20000915
			AU 1997-11489	A3 19961206
			US 1997-988224	A1 19971210
			WO 2001-US29712	W 20010917
L10 ANSWER 6 OF 92 MEDLINE on STN DUPLICATE 2				
ACCESSION NUMBER:		2002684329 MEDLINE		
DOCUMENT NUMBER:		22313520 PubMed ID: 12213823		
TITLE:		SDS-resistant active and thermostable dimers are obtained from the dissociation of homotetrameric beta-glycosidase from hyperthermophilic <i>Sulfolobus solfataricus</i> in SDS. Stabilizing role of the A-C intermonomeric interface.		
AUTHOR:		Gentile Fabrizio; Amodeo Pietro; Febbraio Ferdinando; Picaro Francesco; Motta Andrea; Formisano Silvestro; Nucci Roberto		
CORPORATE SOURCE:		Istituto di Endocrinologia e Oncologia Sperimentale del CNR and Dipartimento di Biologia e Patologia Cellulare e Molecolare, Universita Federico II, Via Pansini 5, 80131 Napoli, Italy.		
SOURCE:		JOURNAL OF BIOLOGICAL CHEMISTRY, (2002 Nov 15) 277 (46) 44050-60. Journal code: 2985121R. ISSN: 0021-9258.		
PUB. COUNTRY:		United States		
DOCUMENT TYPE:		Journal; Article; (JOURNAL ARTICLE)		
LANGUAGE:		English		
FILE SEGMENT:		Priority Journals		
ENTRY MONTH:		200301		
ENTRY DATE:		Entered STN: 20021214 Last Updated on STN: 20030103 Entered Medline: 20030102		
L10 ANSWER 7 OF 92 MEDLINE on STN DUPLICATE 3				
ACCESSION NUMBER:		2003044459 MEDLINE		
DOCUMENT NUMBER:		22441239 PubMed ID: 12553073		
TITLE:		Preparation of Gc protein-derived macrophage activating factor (GcMAF) and its structural characterization and biological activities.		
AUTHOR:		Mohamad Saharuddin Bin; Nagasawa Hideko; Uto Yoshihiro; Hori Hitoshi		
CORPORATE SOURCE:		Department of Biological Science and Technology, Faculty of Engineering, University of Tokushima, Minamijyosanjimacho-2, Tokushima, 770-8506 Japan.		

SOURCE: ANTICANCER RESEARCH, (2002 Nov-Dec) 22 (6C) 4297-300.
Journal code: 8102988. ISSN: 0250-7005.

PUB. COUNTRY: Greece

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200303

ENTRY DATE: Entered STN: 20030130
Last Updated on STN: 20030308
Entered Medline: 20030307

L10 ANSWER 8 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 4

ACCESSION NUMBER: 2002:526453 BIOSIS

DOCUMENT NUMBER: PREV200200526453

TITLE: The effects of long term nitrogen deposition on
extracellular enzyme activity in an Acer saccharum forest
soil.

AUTHOR(S): Saiya-Cork, K. R.; Sinsabaugh, R. L. [Reprint author]; Zak,
D. R.

CORPORATE SOURCE: Environmental Sciences Department, University of Toledo,
2801 W. Bancroft Str., Toledo, OH, 43606-3390, USA
robert.sinsabaugh@utoledo.edu

SOURCE: Soil Biology and Biochemistry, (September, 2002) Vol. 34,
No. 9, pp. 1309-1315. print.
CODEN: SBIOAH. ISSN: 0038-0717.

DOCUMENT TYPE: Article

LANGUAGE: English

ENTRY DATE: Entered STN: 9 Oct 2002
Last Updated on STN: 9 Oct 2002

L10 ANSWER 9 OF 92 MEDLINE on STN DUPLICATE 5

ACCESSION NUMBER: 2002155516 MEDLINE

DOCUMENT NUMBER: 21823402 PubMed ID: 11835135

TITLE: Screening of various glycosidases for the synthesis of
octyl glucoside.

AUTHOR: Ducret Amelie; Trani Michael; Lortie Robert

CORPORATE SOURCE: Microbial and Enzyme Technology Group, Bioprocess Sector,
Biotechnology Research Institute, National Research
Council, Montreal, Quebec H4P 2R2 Canada.

SOURCE: BIOTECHNOLOGY AND BIOENGINEERING, (2002 Mar 30) 77 (7)
752-7.
Journal code: 7502021. ISSN: 0006-3592.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200205

ENTRY DATE: Entered STN: 20020313
Last Updated on STN: 20020510
Entered Medline: 20020509

L10 ANSWER 10 OF 92 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 2003:24958 LIFESCI

TITLE: Antifungal effect of Hevea brasiliensis latex with various
fungi. Its synergistic action with amphotericin B against
Candida albicans
Antimyzetische Wirkung von Hevea brasiliensis -Latex auf
verschiedene Pilze und seine synergistische Wirkung mit
Amphotericin B auf Candida albicans

AUTHOR: Giordani, R.*; Regli, P.; Buc, J.

CORPORATE SOURCE: Faculte de Pharmacie, Universite de la Mediterranee, and
Laboratoire de Chimie Bacterienne, UPR, CNRS, Marseille,
France.

SOURCE: Mycoses, (20021200) vol. 45, no. 11-12, pp. 476-481.
ISSN: 0933-7407.
DOCUMENT TYPE: Journal
FILE SEGMENT: K
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 11 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 6

ACCESSION NUMBER: 2002:196155 BIOSIS
DOCUMENT NUMBER: PREV200200196155
TITLE: Secretion of **beta-glycosidase** by middle
midgut cells and its recycling in the midgut of *Tenebrio*
molitor larvae.
AUTHOR(S): Ferreira, A. H. P.; Ribeiro, A. F.; Terra, W. R.; Ferreira,
C. [Reprint author]
CORPORATE SOURCE: Departamento de Bioquimica, Instituto de Quimica,
Universidade de Sao Paulo, 05513-970, Sao Paulo, Brazil
clfterra@iq.usp.br
SOURCE: Journal of Insect Physiology, (January, 2002) Vol. 48, No.
1, pp. 113-118. print.
CODEN: JIPHAF. ISSN: 0022-1910.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 13 Mar 2002
Last Updated on STN: 13 Mar 2002

L10 ANSWER 12 OF 92 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 2002:114249 LIFESCI
TITLE: Comparative study of promoter activity of three
anther-specific genes encoding lipid transfer protein,
xyloglucan endotransglucosylase /hydrolase and
polygalacturonase in transgenic *Arabidopsis thaliana*
AUTHOR: Ariizumi, T.; Amagai, M.; Shibata, D.; Hatakeyama, K.;
Watanabe, M.; Toriyama, K.
CORPORATE SOURCE: Laboratory of Plant Breeding and Genetics, Graduate School
of Agricultural Science, Tohoku University, Aoba-ku, Sendai
981-8555, Japan
SOURCE: Plant Cell Reports [Plant Cell Rep.], (20020700) vol. 21,
no. 1, pp. 90-96.
ISSN: 0721-7714.
DOCUMENT TYPE: Journal
FILE SEGMENT: G; W2
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 13 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

ACCESSION NUMBER: 2003:165021 BIOSIS
DOCUMENT NUMBER: PREV200300165021
TITLE: Detection of a Beta-glucosidase in the Primate Lens: A
Possible Mechanism of Age-related Yellowing.
AUTHOR(S): Dillon, J. P. [Reprint Author]; Ervin, L.; Gaillard, E. R.
CORPORATE SOURCE: Ophthalmology, Columbia University, New York, NY, USA
SOURCE: ARVO Annual Meeting Abstract Search and Program Planner,
(2002) Vol. 2002, pp. Abstract No. 2390. cd-rom.
Meeting Info.: Annual Meeting of the Association For
Research in Vision and Ophthalmology. Fort Lauderdale,
Florida, USA. May 05-10, 2002.
DOCUMENT TYPE: Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
LANGUAGE: English
ENTRY DATE: Entered STN: 2 Apr 2003
Last Updated on STN: 2 Apr 2003

L10 ANSWER 14 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 ACCESSION NUMBER: 2002:210638 BIOSIS
 DOCUMENT NUMBER: PREV200200210638
 TITLE: **beta-glycosidase** from *Sulfolobus solfataricus*.
 AUTHOR(S): Moracci, Marco [Reprint author]; Ciaramella, Maria; Rossi, Mose'
 CORPORATE SOURCE: Institute of Protein Biochemistry and Enzymology, CNR, 80125, Naples, Italy
 SOURCE: Adams, Michael W. W. [Editor]; Kelly, Robert M. [Editor]. Methods Enzymol., (2001) pp. 201-215. Methods in Enzymology. Hyperthermophilic enzymes: Part A. print. Publisher: Academic Press Inc., 525 B Street, Suite 1900, San Diego, CA, 92101-4495, USA; Academic Press Ltd., Harcourt Place, 32 Jamestown Road, London, NW1 7BY, UK. Series: Methods in Enzymology. CODEN: MENZAU. ISSN: 0076-6879. ISBN: 0-12-182231-1 (cloth).
 DOCUMENT TYPE: Book
 Book; (Book Chapter)
 LANGUAGE: English
 ENTRY DATE: Entered STN: 27 Mar 2002
 Last Updated on STN: 27 Mar 2002

L10 ANSWER 15 OF 92 MEDLINE on STN DUPLICATE 7
 ACCESSION NUMBER: 2001664347 MEDLINE
 DOCUMENT NUMBER: 21551168 PubMed ID: 11522797
 TITLE: Biochemical and structural assessment of the 1-N-azasugar GalNAc-isofagomine as a potent family 20 beta-N-acetylhexosaminidase inhibitor.
 AUTHOR: Mark B L; Vocadlo D J; Zhao D; Knapp S; Withers S G; James M N
 CORPORATE SOURCE: Department of Biochemistry, Canadian Institutes of Health Research Group in Protein Structure and Function, University of Alberta, Edmonton, Alberta T6G 2H7, Canada.
 SOURCE: JOURNAL OF BIOLOGICAL CHEMISTRY, (2001 Nov 9) 276 (45) 42131-7.
 Journal code: 2985121R. ISSN: 0021-9258.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 OTHER SOURCE: PDB-1HP4; PDB-1JAK
 ENTRY MONTH: 200112
 ENTRY DATE: Entered STN: 20011119
 Last Updated on STN: 20030105
 Entered Medline: 20011205

L10 ANSWER 16 OF 92 MEDLINE on STN DUPLICATE 8
 ACCESSION NUMBER: 2001439983 MEDLINE
 DOCUMENT NUMBER: 21378346 PubMed ID: 11485867
 TITLE: Optimization of a yeast estrogen screen and its applicability to study the release of estrogenic isoflavones from a soygerm powder.
 AUTHOR: De Boever P; Demare W; Vanderperren E; Cooreman K; Bossier P; Verstraete W
 CORPORATE SOURCE: Laboratory of Microbial Ecology and Technology, Faculty of Agricultural and Applied Biological Sciences, Coupure links 653, 9500 Gent, Belgium.
 SOURCE: ENVIRONMENTAL HEALTH PERSPECTIVES, (2001 Jul) 109 (7) 691-7.
 Journal code: 0330411. ISSN: 0091-6765.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

(VALIDATION STUDIES)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200110
ENTRY DATE: Entered STN: 20011015
Last Updated on STN: 20011015
Entered Medline: 20011011

L10 ANSWER 17 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN DUPLICATE 9

ACCESSION NUMBER: 2001350554 EMBASE
TITLE: Production of a lactose-free galacto-oligosaccharide mixture by using selective enzymatic oxidation of lactose into lactobionic acid.
AUTHOR: Splechtna B.; Petzelbauer I.; Baminger U.; Haltrich D.; Kulbe K.D.; Nidetzky B.
CORPORATE SOURCE: B. Nidetzky, Division of Biochemical Engineering, Institute of Food Technology, Univ. fur Bodenkultur Wien (BOKU), Muthgasse 18, A-1190 Wien, Vienna, Austria.
nide@edv2.boku.ac.at
SOURCE: Enzyme and Microbial Technology, (4 Oct 2001) 29/6-7 (434-440).
Refs: 21
ISSN: 0141-0229 CODEN: EMTED2
PUBLISHER IDENT.: S 0141-0229(01)00412-4
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 18 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

ACCESSION NUMBER: 2001294989 EMBASE
TITLE: Synthesis of .beta.-D-glucosyl- and .beta.-D-fucosyl-glucoses using .beta.-glycosidase from Thermus thermophilus.
AUTHOR: Fourage L.; Colas B.
CORPORATE SOURCE: B. Colas, Unite de Rech. sur la Biocatalyse, CNRS 2230, Universite de Nantes, 2 rue de la Houssiniere BP 92208, 44322 Nantes Cedex 3, France. Bernar.Colas@chimbio.univ-nantes.fr
SOURCE: Applied Microbiology and Biotechnology, (2001) 56/3 (406-410).
Refs: 21
ISSN: 0175-7598 CODEN: AMBIDG
COUNTRY: Germany
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 19 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:125831 HCAPLUS
DOCUMENT NUMBER: 134:363126
TITLE: Characterization of .beta.-glycosylhydrolases from Pyrococcus furiosus
AUTHOR(S): Kaper, Thijs; Verhees, Corne H.; Lebbink, Joyce H. G.; Van Lieshout, Johan F. T.; Kluskens, Leon D.; Ward, Don E.; Kengen, Serve W. M.; Beerthuyzen, Marke M.; De Vos, Willem M.; Van der Oost, John
CORPORATE SOURCE: USA
SOURCE: Methods in Enzymology (2001), 330(Hyperthermophilic Enzymes, Part A), 329-346

CODEN: MENZAU; ISSN: 0076-6879
PUBLISHER: Academic Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 20 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2001:125821 HCAPLUS
DOCUMENT NUMBER: 134:322444
TITLE: **.beta.-Glycosidase** from *Sulfolobus*
solfataricus
AUTHOR(S): Moracci, Marco; Ciaramella, Maria; Rossi, Mose
CORPORATE SOURCE: USA
SOURCE: Methods in Enzymology (2001), 330(Hyperthermophilic
Enzymes, Part A), 201-215
CODEN: MENZAU; ISSN: 0076-6879
PUBLISHER: Academic Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 21 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2000:14961 HCAPLUS
DOCUMENT NUMBER: 132:73622
TITLE: Methods for inhibiting transcription-enhancer factor
TEF-3 activity for treatment of matrix
metalloprotease-mediated diseases
INVENTOR(S): Tindal, Michael Howard; Wang, Richard Lee
PATENT ASSIGNEE(S): Procter and Gamble Company, USA
SOURCE: PCT Int. Appl., 31 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000000161	A2	20000106	WO 1999-US14829	19990630
WO 2000000161	A3	20010104		
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, VZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9950866	A1	20000117	AU 1999-50866	19990630
EP 1089794	A2	20010411	EP 1999-935376	19990630
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
NO 2000006198	A	20010228	NO 2000-6198	20001206
PRIORITY APPLN. INFO.: US 1998-91318P P 19980630				
WO 1999-US14829 W 19990630				

L10 ANSWER 22 OF 92 BIOTECHDS COPYRIGHT 2004 THOMSON DERWENT/ISI on STN
ACCESSION NUMBER: 2000-11399 BIOTECHDS
TITLE: Transgalactosylation by thermostable **beta-glycosidases** from *Pyrococcus furiosus* and *Sulfolobus solfataricus* binding interactions of nucleophiles with the galactosylated enzyme intermediate;

make major contributions to the formation of new
beta-glycosides during lactose conversion; enzyme
catalyzed sugar conversion

AUTHOR: Petzelbauer I; Reiter A; Splechtna B; Kosma P; *Nidetzky B
CORPORATE SOURCE: Univ.Vienna-Agr.Inst.Food-Technol.; Univ.Vienna-Inst.Chem.
LOCATION: Institut fur Lebensmitteltechnologie, Universitat fur
Bodenkultur, Muthgasse 18, A-1190 Vienna, Austria.
Email: nide@edv2.boku.ac.at
SOURCE: Eur.J.Biochem.; (2000) 267, 16, 5055-66
CODEN: EJBCAI
ISSN: 0014-2956
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 23 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 10

ACCESSION NUMBER: 2001:80596 BIOSIS
DOCUMENT NUMBER: PREV200100080596
TITLE: Health promoting effects of a soy product enriched in
phytoestrogens.
AUTHOR(S): De Boever, P. [Reprint author]; Verstraete, W. [Reprint
author]
CORPORATE SOURCE: Laboratory of Microbial Ecology and Technology (Labmet)
Faculty of Agricultural and Applied Biological Sciences,
Ghent University, Coupure links 653, B-9000, Ghent, Belgium
willy.verstraete@rug.ac.be; <http://www.welcome.to/labmet>
SOURCE: Mededelingen Faculteit Landbouwkundige en Toegepaste
Biologische Wetenschappen Universiteit Gent, (2000) Vol.
65, No. 3B, pp. 487-493. print.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 14 Feb 2001
Last Updated on STN: 12 Feb 2002

L10 ANSWER 24 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:308447 HCAPLUS
DOCUMENT NUMBER: 133:205440
TITLE: The role of ethylene in regulating cell wall-degrading
enzyme activity using antisense ACC-oxidase in
cantaloupe melons
AUTHOR(S): Botondi, Rinaldo; Cardarelli, Maria Teresa;
Mencarelli, Fabio
CORPORATE SOURCE: Istituto di Tecnologia Agroalimentaria, Viterbo,
01100, Italy
SOURCE: Acta Horticulturae (2000), 510(Proceedings of
Cucurbitaceae 2000), 471-477
CODEN: AHORA2; ISSN: 0567-7572
PUBLISHER: International Society for Horticultural Science
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 25 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 11

ACCESSION NUMBER: 2000:204471 BIOSIS
DOCUMENT NUMBER: PREV200000204471
TITLE: Metamorphosis-associated proteolysis in Ceratitis capitata.
AUTHOR(S): Rabossi, A.; Acion, L.; Quesada-Allue, L. A. [Reprint
author]
CORPORATE SOURCE: Fundacion Campomar and Facultad de Ciencias Exactas y
Naturales, Instituto de Investigaciones Bioquimicas,
Universidad de Bs. Aires, Av. Patricias Argentinas 435,
Buenos Aires, 1405, Argentina

SOURCE: Entomologia Experimentalis et Applicata, (Jan., 2000) Vol. 94, No. 1, pp. 57-65. print.
CODEN: ETEAAT. ISSN: 0013-8703.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 24 May 2000
Last Updated on STN: 5 Jan 2002

L10 ANSWER 26 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

ACCESSION NUMBER: 1999223386 EMBASE
TITLE: Coordinate transcriptional control in the hyperthermophilic archaeon *Sulfolobus solfataricus*.
AUTHOR: Haseltine C.; Montalvo-Rodriguez R.; Bini E.; Carl A.; Blum P.
CORPORATE SOURCE: P. Blum, E234 Beadle Cntr., University of Nebraska, Lincoln, NE 68588-0666, United States.
pblum@biocomp.unl.edu
SOURCE: Journal of Bacteriology, (1999) 181/13 (3920-3927).
Refs: 52
ISSN: 0021-9193 CODEN: JOBAAY
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 27 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1999:639475 HCAPLUS
DOCUMENT NUMBER: 132:1486
TITLE: Probing the transferase activity of glycosidases by means of in situ NMR spectroscopy
AUTHOR(S): Spangenberg, P.; Chiffolleau-Giraud, V.; Andre, C.; Dion, M.; Rabiller, C.
CORPORATE SOURCE: Unite de Recherches en Biocatalyse (UPRES no. 2161), Faculte des Sciences et des Techniques, Nantes, F-44322, Fr.
SOURCE: Tetrahedron: Asymmetry (1999), 10(15), 2905-2912
CODEN: TASYE3; ISSN: 0957-4166
PUBLISHER: Elsevier Science Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 28 OF 92 MEDLINE on STN DUPLICATE 12

ACCESSION NUMBER: 1999359410 MEDLINE
DOCUMENT NUMBER: 99359410 PubMed ID: 10430566
TITLE: Extragenic pleiotropic mutations that repress glycosyl hydrolase expression in the hyperthermophilic archaeon *Sulfolobus solfataricus*.
AUTHOR: Haseltine C; Montalvo-Rodriguez R; Carl A; Bini E; Blum P
CORPORATE SOURCE: George Beadle Center for Genetics, School of Biological Sciences, University of Nebraska, Lincoln, Nebraska 68588-0666, USA.
SOURCE: GENETICS, (1999 Aug) 152 (4) 1353-61.
Journal code: 0374636. ISSN: 0016-6731.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals; Space Life Sciences
OTHER SOURCE: GENBANK-AF148510
ENTRY MONTH: 199910
ENTRY DATE: Entered STN: 19991026

Last Updated on STN: 19991026
Entered Medline: 19991012

L10 ANSWER 29 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1999:490462 BIOSIS
DOCUMENT NUMBER: PREV199900490462
TITLE: beta-Galactooligosaccharide synthesis with
beta-galactosidases from Sulfolobus solfataricus,
Aspergillus oryzae, and Escherichia coli.
AUTHOR(S): Reuter, Stephan; Nygaard, Anne Rusborg; Zimmermann,
Wolfgang [Reprint author]
CORPORATE SOURCE: Biotechnology Laboratory, University of Aalborg,
Sohngaardsholmsvej 57, DK-9000, Aalborg, Denmark
SOURCE: Enzyme and Microbial Technology, (Sept., 1999) Vol. 25, No.
6, pp. 509-516. print.
CODEN: EMTED2. ISSN: 0141-0229.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 16 Nov 1999
Last Updated on STN: 16 Nov 1999

L10 ANSWER 30 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
ACCESSION NUMBER: 1999088403 EMBASE
TITLE: Variation in glycosidase activity in soluble fractions in
ICR/f rat lenses with the progression of cataract
formation.
AUTHOR: Kamei A.
CORPORATE SOURCE: A. Kamei, Department of Biochemistry, Faculty of
Pharmaceutical Sciences, Meijo University, 150 Yagotoyama,
Tenpaku-ku, Nagoya 468-8503, Japan
SOURCE: Biological and Pharmaceutical Bulletin, (1999) 22/2
(200-202).
Refs: 8
ISSN: 0918-6158 CODEN: BPBLEO
COUNTRY: Japan
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 012 Ophthalmology
030 Pharmacology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 31 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1999:140672 HCAPLUS
DOCUMENT NUMBER: 130:308568
TITLE: Picomolar scale determination of carbohydrates
covalently immobilized on activated beads using
hydroxyl functionality
AUTHOR(S): Yu, Jaehoon; Chun, Sung-Min; Park, Hokoon; Park,
Yong-Keun; Jeong, Sunjoo
CORPORATE SOURCE: Division of Applied Science, The Korea Institute of
Science & Technology, Seoul, 130-650, S. Korea
SOURCE: Journal of Biochemistry and Molecular Biology (1999),
32(1), 98-102
CODEN: JBMBE5; ISSN: 1225-8687
PUBLISHER: Springer-Verlag Singapore Pte. Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 32 OF 92 MEDLINE on STN
ACCESSION NUMBER: 1999449953 MEDLINE
DOCUMENT NUMBER: 99449953 PubMed ID: 10520250

DUPLICATE 13

TITLE: The **beta-glycosidase** from the hyperthermophilic archaeon *Sulfolobus solfataricus*: enzyme activity and conformational dynamics at temperatures above 100 degrees C.

AUTHOR: D'Auria S; Nucci R; Rossi M; Gryczynski I; Gryczynski Z; Lakowicz J R

CORPORATE SOURCE: Institute of Protein Biochemistry and Enzymology, C.N.R., Napoli, Italy.

CONTRACT NUMBER: RR-08119 (NCRR)

SOURCE: BIOPHYSICAL CHEMISTRY, (1999 Sep 13) 81 (1) 23-31.
Journal code: 0403171. ISSN: 0301-4622.

PUB. COUNTRY: Netherlands

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199911

ENTRY DATE: Entered STN: 20000111
Last Updated on STN: 20000111
Entered Medline: 19991105

L10 ANSWER 33 OF 92 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN

ACCESSION NUMBER: 1998:912037 SCISEARCH

THE GENUINE ARTICLE: 141WE

TITLE: Selenium-mediated differential response of beta-glucosidase and beta-galactosidase of germinating *Trigonella foenum-graecum*

AUTHOR: Sreekala M; Lalitha K (Reprint)

CORPORATE SOURCE: INDIAN INST TECHNOL, DEPT CHEM, MADRAS, CHENNAI, INDIA (Reprint); INDIAN INST TECHNOL, DEPT CHEM, MADRAS, CHENNAI, INDIA

COUNTRY OF AUTHOR: INDIA

SOURCE: BIOLOGICAL TRACE ELEMENT RESEARCH, (SUM 1998) Vol. 64, No. 1-3, pp. 247-258.
Publisher: HUMANA PRESS INC, 999 RIVERVIEW DRIVE SUITE 208, TOTOWA, NJ 07512.
ISSN: 0163-4984.

DOCUMENT TYPE: Article; Journal

FILE SEGMENT: LIFE

LANGUAGE: English

REFERENCE COUNT: 35

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

L10 ANSWER 34 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN DUPLICATE 14

ACCESSION NUMBER: 1998072100 EMBASE

TITLE: Substrate specificities of midgut **beta-glycosidases** from insects of different orders.

AUTHOR: Ferreira C.; Torres B.B.; Terra W.R.

CORPORATE SOURCE: C. Ferreira, Departamento de Bioquimica, Instituto de Quimica, Universidade de Sao Paulo, C.P. 26077, 05599-970, Sao Paulo, Brazil. clfterra@quim.iq.usp.br

SOURCE: Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, (1998) 119/1 (219-225).
Refs: 26

ISSN: 0305-0491 CODEN: CBPBB8

PUBLISHER IDENT.: S 0305-0491(97)00310-6

COUNTRY: United States

DOCUMENT TYPE: Journal; Article

FILE SEGMENT: 004 Microbiology
029 Clinical Biochemistry

LANGUAGE: English

SUMMARY LANGUAGE: English

L10 ANSWER 35 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

ACCESSION NUMBER: 1998:318393 BIOSIS
DOCUMENT NUMBER: PREV199800318393
TITLE: The arbZ gene from *Lactobacillus delbrueckii* subsp. *lactis* confers to *Escherichia coli* the ability to utilize the beta-glucoside arbutin.
AUTHOR(S): Weber, Beate A. [Reprint author]; Klein, Juergen R.; Henrich, Bernhard
CORPORATE SOURCE: Fachbereich Biol., Abt. Mikrobiol., Univ. Kaiserslautern, Postfach 3049, D-67653 Kaiserslautern, Germany
SOURCE: Gene (Amsterdam), (June 8, 1998) Vol. 212, No. 2, pp. 203-211. print.
CODEN: GENED6. ISSN: 0378-1119.
DOCUMENT TYPE: Article
LANGUAGE: English
OTHER SOURCE: EMBL-Z86115; DDBJ-Z86115
ENTRY DATE: Entered STN: 22 Jul 1998
Last Updated on STN: 10 Sep 1998

L10 ANSWER 36 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1998:186132 BIOSIS
DOCUMENT NUMBER: PREV199800186132
TITLE: **beta-Glycosidase** (amygdalas and linamarase) from *Endomyces fibuliger* (LU677): Formation and crude enzyme properties.
AUTHOR(S): Brimer, L. [Reprint author]; Nout, M. J. R.; Tuncel, G.
CORPORATE SOURCE: Dep. Pharmacol. and Pathobiol., Sect. Pharmacol. and Toxicol., Royal Vet. and Agric. Univ., 13 Bulowsvej, DK-1870 Frederiksberg C, Copenhagen, Denmark
SOURCE: Applied Microbiology and Biotechnology, (Feb., 1998) Vol. 49, No. 2, pp. 184-188. print.
CODEN: AMBIDG. ISSN: 0175-7598.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 20 Apr 1998
Last Updated on STN: 12 Aug 1998

L10 ANSWER 37 OF 92 MEDLINE on STN DUPLICATE 15
ACCESSION NUMBER: 1998195748 MEDLINE
DOCUMENT NUMBER: 98195748 PubMed ID: 9534258
TITLE: **Beta-glycosidase** (amygdalase and linamarase) from *Endomyces fibuliger* (LU677): formation and crude enzyme properties.
AUTHOR: Brimer L; Nout M J; Tuncel G
CORPORATE SOURCE: Department of Pharmacology and Pathobiology, Royal Veterinary and Agricultural University, Copenhagen, Denmark.
SOURCE: APPLIED MICROBIOLOGY AND BIOTECHNOLOGY, (1998 Feb) 49 (2) 182-8.
Journal code: 8406612. ISSN: 0175-7598.
PUB. COUNTRY: GERMANY: Germany, Federal Republic of
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Biotechnology
ENTRY MONTH: 199804
ENTRY DATE: Entered STN: 19980507
Last Updated on STN: 19980507
Entered Medline: 19980429

L10 ANSWER 38 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
ACCESSION NUMBER: 97383128 EMBASE
DOCUMENT NUMBER: 1997383128
TITLE: Evaluation of the activities of eight lysosomal hydrolases in sera of humans, rats and pigs of different ages.

AUTHOR: Sanchez-Martin M.M.; Cabezas J.A.
CORPORATE SOURCE: J.A. Cabezas, Departamento de Bioquimica, y Biologia
Molecular, Facultad de Biologia, Avendida del Campo Charro
s-n, E-37077 Salamanca, Spain. jcabezas@gugu.usal.es
SOURCE: Mechanisms of Ageing and Development, (1998) 99/2 (95-107).
Refs: 41
ISSN: 0047-6374 CODEN: MAGDA3
COUNTRY: Ireland
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 021 Developmental Biology and Teratology
029 Clinical Biochemistry
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 39 OF 92 MEDLINE on STN
ACCESSION NUMBER: 1999092668 MEDLINE
DOCUMENT NUMBER: 99092668 PubMed ID: 9875509
TITLE: Intestinal bacterial metabolism of flavonoids and its
relation to some biological activities.
AUTHOR: Kim D H; Jung E A; Sohng I S; Han J A; Kim T H; Han M J
CORPORATE SOURCE: College of Pharmacy, Kyung-Hee University, Seoul, Korea.
SOURCE: ARCHIVES OF PHARMACAL RESEARCH, (1998 Feb) 21 (1) 17-23.
Journal code: 8000036. ISSN: 0253-6269.
PUB. COUNTRY: KOREA
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199903
ENTRY DATE: Entered STN: 19990324
Last Updated on STN: 19990324
Entered Medline: 19990305

L10 ANSWER 40 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
ACCESSION NUMBER: 1998001858 EMBASE
TITLE: Affinity isolation and characterization of the cathepsin
B-like proteinase Sj31 from Schistosoma japonicum.
AUTHOR: Caffrey C.R.; Ruppel A.
CORPORATE SOURCE: A. Ruppel, Institute of Tropical Hygiene, University of
Heidelberg, Im Neuenheimer Feld 324, 69120 Heidelberg,
Germany
SOURCE: Journal of Parasitology, (1997) 83/6 (1112-1118).
Refs: 48
ISSN: 0022-3395 CODEN: JOPAA2
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 41 OF 92 MEDLINE on STN DUPLICATE 16
ACCESSION NUMBER: 1998098701 MEDLINE
DOCUMENT NUMBER: 98098701 PubMed ID: 9436306
TITLE: Isolation, purification, and characterization of the major
autolysin from Pseudomonas aeruginosa.
AUTHOR: Watt S R; Clarke A J
CORPORATE SOURCE: Canadian Bacterial Diseases Network, Department of
Microbiology, University of Guelph, Canada.
SOURCE: CANADIAN JOURNAL OF MICROBIOLOGY, (1997 Nov) 43 (11)
1054-62.
Journal code: 0372707. ISSN: 0008-4166.
PUB. COUNTRY: Canada
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English

FILE SEGMENT: Priority Journals
ENTRY MONTH: 199802
ENTRY DATE: Entered STN: 19980306
Last Updated on STN: 20000303
Entered Medline: 19980220

L10 ANSWER 42 OF 92 MEDLINE on STN DUPLICATE 17
ACCESSION NUMBER: 97436796 MEDLINE
DOCUMENT NUMBER: 97436796 PubMed ID: 9291478
TITLE: Glycosidases are present on the surface of Drosophila melanogaster spermatozoa.
AUTHOR: Cattaneo F; Pasini M E; Perotti M E
CORPORATE SOURCE: Department of General Physiology and Biochemistry, University of Milan, Italy.
SOURCE: MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Oct) 48 (2) 276-81.
Journal code: 8903333. ISSN: 1040-452X.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199712
ENTRY DATE: Entered STN: 19980109
Last Updated on STN: 19980109
Entered Medline: 19971202

L10 ANSWER 43 OF 92 MEDLINE on STN DUPLICATE 18
ACCESSION NUMBER: 1998144479 MEDLINE
DOCUMENT NUMBER: 98144479 PubMed ID: 9483485
TITLE: Evaluation of the activities of eight lysosomal hydrolases in sera of humans, rats and pigs of different ages.
AUTHOR: Sanchez-Martin M M; Cabezas J A
CORPORATE SOURCE: Departamento de Bioquímica y Biología Molecular, Facultad de Biología, Salamanca, Spain.
SOURCE: MECHANISMS OF AGEING AND DEVELOPMENT, (1997 Dec 15) 99 (2) 95-107.
Journal code: 0347227. ISSN: 0047-6374.
PUB. COUNTRY: Ireland
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199803
ENTRY DATE: Entered STN: 19980407
Last Updated on STN: 19980407
Entered Medline: 19980326

L10 ANSWER 44 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1996:703733 HCAPLUS
DOCUMENT NUMBER: 126:18002
TITLE: Molecular basis of alcoholic aroma formation in tea leaves
AUTHOR(S): Sakata, Kanzo; Ogawa, Kenji; Ijima, Yasuyuki; Watanabe, Naoharu; Usui, Taiichi; Guo, Wenfei; Moon, Jae-Hak; Dong, Shangsheng; Tong, Qiqing; Luo, Shaojun
CORPORATE SOURCE: Faculty Agriculture, Shizuoka University, Japan
SOURCE: Tennen Yuki Kagobutsu Toronkai Koen Yoshishu (1996), 38th, 511-516
CODEN: TYKYDS
PUBLISHER: Nippon Kagakkai
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 45 OF 92 BIOTECHDS COPYRIGHT 2004 THOMSON DERWENT/ISI on STN
ACCESSION NUMBER: 1997-06264 BIOTECHDS

TITLE: Immobilization on chitosan of a thermophilic **beta-glycosidase** expressed in *Saccharomyces cerevisiae*; *Sulfolobus solfataricus* thermostable enzyme immobilization and expression in yeast (conference paper)
AUTHOR: d'Auria S; Pellino F; La Cara F; Barone R; Rossi M; *Nucci R
CORPORATE SOURCE: Inst.Protein-Biochem.Enzymol.Naples; CNR
LOCATION: Istituto di Biochimica delle Proteine ed Enzimologia, C.N.R., Via Marconi 10, 80125 Naples, Italy.
SOURCE: Appl.Biochem.Biotechnol.; (1996) 61, 1-2, 157-66
CODEN: ABIBDL
ISSN: 0273-2289
Biocatalysis 95', Proceedings of the International Conference, Suzdal, Russia, 28 August-1 September, 1995.
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 46 OF 92 MEDLINE on STN DUPLICATE 19
ACCESSION NUMBER: 96031595 MEDLINE
DOCUMENT NUMBER: 96031595 PubMed ID: 7574621
TITLE: Possible errors in **assay** for **beta-glycosidase** activity.
AUTHOR: Chadwick R W; Allison J C; Talley D L; George S E
CORPORATE SOURCE: Health Effects Research Laboratory, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711, USA.
SOURCE: APPLIED AND ENVIRONMENTAL MICROBIOLOGY, (1995 Feb) 61 (2) 820-2.
Journal code: 7605801. ISSN: 0099-2240.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199511
ENTRY DATE: Entered STN: 19951227
Last Updated on STN: 19951227
Entered Medline: 19951106

L10 ANSWER 47 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
ACCESSION NUMBER: 95109156 EMBASE
DOCUMENT NUMBER: 1995109156
TITLE: Cellulolytic vestiges of the xylanase activity in a new strictly xylanolytic, thermophilic *Clostridium* sp.
AUTHOR: De Blois S.; Wiegel J.
CORPORATE SOURCE: Dept. of Microbiology, Ctr. Biological Resource Recovery, Univ. of Georgia, Athens, GA 30602, United States
SOURCE: Biotechnology Letters, (1995) 17/1 (89-94).
ISSN: 0141-5492 CODEN: BILED3
COUNTRY: United Kingdom
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 48 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1994:125641 BIOSIS
DOCUMENT NUMBER: PREV199497138641
TITLE: Prokaryotic expression cloning of a novel human tyrosine kinase.
AUTHOR(S): Beeler, John F.; Larochele, William J. [Reprint author]; Chedid, Marcio; Tronick, Steven R.; Aaronson, Stuart A.
CORPORATE SOURCE: Lab. Cellular and Mol. Biol., Natl. Cancer Inst., Build. 37, Room 1E24, Bethesda, MD 20892, USA
SOURCE: Molecular and Cellular Biology, (1994) Vol. 14, No. 2, pp.

982-988.
CODEN: MCEBD4. ISSN: 0270-7306.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 24 Mar 1994
Last Updated on STN: 25 Mar 1994

L10 ANSWER 49 OF 92 MEDLINE on STN
ACCESSION NUMBER: 94238419 MEDLINE
DOCUMENT NUMBER: 94238419 PubMed ID: 8182502
TITLE: Changes in synovial fluid N-acetyl-beta-glucosaminidase activity in the human temporomandibular joint with dysfunction.
AUTHOR: Kamada A; Fujita A; Kakudo K; Okazaki J; Ida M; Sakaki T
CORPORATE SOURCE: Department of Biochemistry, Osaka Dental University, Japan.
SOURCE: JOURNAL OF OSAKA DENTAL UNIVERSITY, (1993 Oct) 27 (2) 107-11.
Journal code: 7507225. ISSN: 0475-2058.
PUB. COUNTRY: Japan
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Dental Journals
ENTRY MONTH: 199406
ENTRY DATE: Entered STN: 19940621
Last Updated on STN: 19970203
Entered Medline: 19940615

L10 ANSWER 50 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1993:622449 HCAPLUS
DOCUMENT NUMBER: 119:222449
TITLE: Variable expression of leukocyte cytosolic broad-specificity .beta.-glucosidase activity
AUTHOR(S): Forsyth, G. W.; Romero, K. M.; Alverson, J.; VanderJagt, D. J.; Glew, R. H.
CORPORATE SOURCE: Univ. Saskatchewan, Saskatoon, SK, S7N 0W0, Can.
SOURCE: Clinica Chimica Acta (1993), 216(1-2), 11-21
CODEN: CCATAR; ISSN: 0009-8981
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 51 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 20
ACCESSION NUMBER: 1993:2721 BIOSIS
DOCUMENT NUMBER: PREV199395002721
TITLE: Epilithic extracellular enzyme activity in acid and calcareous headstreams.
AUTHOR(S): Chappell, K. R.; Goulder, R.
CORPORATE SOURCE: Dep. Applied Biology, Univ. Hull, Hull HU6 7RX, England
SOURCE: Archiv fuer Hydrobiologie, (1992) Vol. 125, No. 2, pp. 129-148.
CODEN: AHYBA4. ISSN: 0003-9136.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 10 Dec 1992
Last Updated on STN: 13 Dec 1992

L10 ANSWER 52 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN DUPLICATE 21
ACCESSION NUMBER: 91215942 EMBASE
DOCUMENT NUMBER: 1991215942
TITLE: Activities of .beta.-glucanases and .beta.-glucosidases during blastospore formation in Saccharomycopsis fibuligera.
AUTHOR: Nwoguh C.E.; Berry D.R.

CORPORATE SOURCE: Dept.of Bioscience/Biotechnol., University of Strathclyde,
204 George Street,Glasgow G1 1XW, United Kingdom
SOURCE: Journal of Industrial Microbiology, (1991) 7/4 (263-268).
ISSN: 0169-4146 CODEN: JIMIE7
COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 53 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 22
ACCESSION NUMBER: 1990:244076 BIOSIS
DOCUMENT NUMBER: PREV199089131029; BA89:131029
TITLE: INHIBITION OF CELL WALL-ASSOCIATED ENZYMES IN-VITRO AND
IN-VIVO WITH SUGAR ANALOGS.
AUTHOR(S): NAGAHASHI G [Reprint author]; TU S-I; FLEET G; NAMGOONG S K
CORPORATE SOURCE: US DEP AGRIC, AGRIC RES SERVICE, EASTERN REGIONAL RES
CENTER, 600 EAST MERMAID LANE, PHILADELPHIA, PA 19118, USA
SOURCE: Plant Physiology (Rockville), (1990) Vol. 92, No. 2, pp.
413-418.
CODEN: PLPHAY. ISSN: 0032-0889.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 19 May 1990
Last Updated on STN: 19 May 1990

L10 ANSWER 54 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1990:194262 HCAPLUS
DOCUMENT NUMBER: 112:194262
TITLE: .beta.-D-Glycosidase activities of Humicola grisea:
biochemical and kinetic characterization of a
multifunctional enzyme
AUTHOR(S): Peralta, Rosane Marina; Terenzi, Hector Francisco;
Jorge, Joao Atilio
CORPORATE SOURCE: Fac. Filos. Cienc. Let., Univ. Sao Paulo, Ribeirao
Preto, 14049, Brazil
SOURCE: Biochimica et Biophysica Acta (1990), 1033(3), 243-9
CODEN: BBACAQ; ISSN: 0006-3002
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 55 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1990:473466 HCAPLUS
DOCUMENT NUMBER: 113:73466
TITLE: The characteristics of .beta.-glucosidase of chorionic
villi and its fluorometric determination
AUTHOR(S): Wang, Jianzhi; He, Shanshu
CORPORATE SOURCE: Tonji Med. Univ., Wuhan, Peop. Rep. China
SOURCE: Shengwu Huaxue Zazhi (1990), 6(2), 102-6
CODEN: SHZAE4; ISSN: 1000-8543
DOCUMENT TYPE: Journal
LANGUAGE: Chinese

L10 ANSWER 56 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1990:49098 BIOSIS
DOCUMENT NUMBER: PREV199089026462; BA89:26462
TITLE: BETA-N ACETYLHEXOSAMINIDASES IN THE SECRETION OF THE FEMALE
REPRODUCTIVE ACCESSORY GLANDS OF CERATITIS-CAPITATA
DIPTERA.
AUTHOR(S): MARCHINI D [Reprint author]; BERNINI L F; DALLAI R
CORPORATE SOURCE: DEP EVOL BIOL, UNIV SIENA, I-53100 SIENA, ITALY
SOURCE: Insect Biochemistry, (1989) Vol. 19, No. 6, pp. 549-556.

CODEN: ISBCAN. ISSN: 0020-1790.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 11 Jan 1990
Last Updated on STN: 27 Feb 1990

L10 ANSWER 57 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1989:53412 HCAPLUS
DOCUMENT NUMBER: 110:53412
TITLE: In situ **assay** of intracellular enzymes of yeast (*Kluyveromyces fragilis*) by digitonin permeabilization of cell membrane
AUTHOR(S): Gowda, L. R.; Joshi, M. S.; Bhat, S. G.
CORPORATE SOURCE: Dep. Food Chem., Cent. Food Technol. Res. Inst., Mysore, 570 013, India
SOURCE: Analytical Biochemistry (1988), 175(2), 531-6
CODEN: ANBCA2; ISSN: 0003-2697
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 58 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 23
ACCESSION NUMBER: 1989:4154 BIOSIS
DOCUMENT NUMBER: PREV198987004154; BA87:4154
TITLE: EXAMINATION OF CATHEPSINS B D H AND L ACTIVITIES IN DRY-CURED HAMS.
AUTHOR(S): TOLDRA F [Reprint author]; ETHERINGTON D J
CORPORATE SOURCE: INST AGROQUIMICA TECNOL DE ALIMENTOS, JAIME ROIG 11, VALENCIA 46010, SPAIN
SOURCE: Meat Science, (1988) Vol. 23, No. 1, pp. 1-8.
CODEN: MESCDN. ISSN: 0309-1740.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 6 Dec 1988
Last Updated on STN: 6 Dec 1988

L10 ANSWER 59 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1986:621623 HCAPLUS
DOCUMENT NUMBER: 105:221623
TITLE: Specificity of human glucosylceramide .beta.-glucosidase towards synthetic glucosylsphingolipids inserted into liposomes. Kinetic studies in a detergent-free **assay** system
AUTHOR(S): Sarmientos, Francesco; Schwarzmann, Guenter; Sandhoff, Konrad
CORPORATE SOURCE: Inst. Org. Chem. Biochem., Univ. Bonn, Bonn, D-5300/1, Fed. Rep. Ger.
SOURCE: European Journal of Biochemistry (1986), 160(3), 527-35
CODEN: EJBCAI; ISSN: 0014-2956
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 60 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1986:182111 HCAPLUS
DOCUMENT NUMBER: 104:182111
TITLE: A fluorimetric method for measuring the activity of soil enzymes
AUTHOR(S): Darrah, P. R.; Harris, P. J.
CORPORATE SOURCE: Dep. Soil Sci., Univ. Reading, Reading, RG1 5AQ, UK
SOURCE: Plant and Soil (1986), 92(1), 81-8

CODEN: PLSOA2; ISSN: 0032-079X

DOCUMENT TYPE: Journal
 LANGUAGE: English

L10 ANSWER 61 OF 92 MEDLINE on STN DUPLICATE 24

ACCESSION NUMBER: 85231488 MEDLINE
 DOCUMENT NUMBER: 85231488 PubMed ID: 2989024
 TITLE: Glycosidases in normal and regenerating chicken liver, hepatoma Mc-29, Rous sarcoma, in turkey poult liver and hemocytoblastomes, provoked by the leukosis virus strain Mc-31.
 AUTHOR: Chelibonova-Lorer H; Ivanov S; Gavazova E; Antonova M
 SOURCE: INTERNATIONAL JOURNAL OF BIOCHEMISTRY, (1985) 17 (4) 541-4.
 Journal code: 0250365. ISSN: 0020-711X.
 PUB. COUNTRY: ENGLAND: United Kingdom
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 198508
 ENTRY DATE: Entered STN: 19900320
 Last Updated on STN: 20000303
 Entered Medline: 19850822

L10 ANSWER 62 OF 92 MEDLINE on STN DUPLICATE 25

ACCESSION NUMBER: 85172552 MEDLINE
 DOCUMENT NUMBER: 85172552 PubMed ID: 3838626
 TITLE: Soluble chromogenic substrates for the assay of endo-1,4-beta-xylanases and endo-1,4-beta-glucanases.
 AUTHOR: Biely P; Mislovicova D; Toman R
 SOURCE: ANALYTICAL BIOCHEMISTRY, (1985 Jan) 144 (1) 142-6.
 Journal code: 0370535. ISSN: 0003-2697.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 198505
 ENTRY DATE: Entered STN: 19900320
 Last Updated on STN: 19900320
 Entered Medline: 19850520

L10 ANSWER 63 OF 92 MEDLINE on STN DUPLICATE 26

ACCESSION NUMBER: 85146748 MEDLINE
 DOCUMENT NUMBER: 85146748 PubMed ID: 6241432
 TITLE: A combined assay of three lysosomal marker enzymes: acid phosphatase, beta-D-glucuronidase, and beta-N-acetyl-D-hexosaminidase.
 AUTHOR: Löffler B M; Hesse B; Kunze H
 SOURCE: ANALYTICAL BIOCHEMISTRY, (1984 Nov 1) 142 (2) 312-6.
 Journal code: 0370535. ISSN: 0003-2697.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 198503
 ENTRY DATE: Entered STN: 19900320
 Last Updated on STN: 19900320
 Entered Medline: 19850329

L10 ANSWER 64 OF 92 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 84:59108 LIFESCI
 TITLE: A combined assay of three lysosomal marker enzymes: Acid phosphatase, beta -D-glucuronidase, and beta -N-acetyl-D-hexosaminidase.
 AUTHOR: Loeffler, B.M.; Hesse, B.; Kunze, H.

CORPORATE SOURCE: Dep. Biochem. Pharmacol., Max-Planck-Inst. Med.,
Hermann-Rein-Str. 3, 3400 Goettingen, FRG
SOURCE: ANAL. BIOCHEM., (1984) vol. 142, no. 2, pp. 312-316.
DOCUMENT TYPE: Journal
FILE SEGMENT: L
LANGUAGE: English
SUMMARY LANGUAGE: English

L10 ANSWER 65 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1985:254867 BIOSIS
DOCUMENT NUMBER: PREV198579034863; BA79:34863
TITLE: EFFECT OF CASTANOSPERMINE ON THE STRUCTURE AND SECRETION OF
GLYCOPROTEIN ENZYMES IN ASPERGILLUS-FUMIGATUS.
AUTHOR(S): ELBEIN A D [Reprint author]; MITCHELL M; MOLYNEUX R J
CORPORATE SOURCE: DEP BIOCHEM, UNIV TEXAS HEALTH SCI CENT, SAN ANTONIO, TEX
78284, USA
SOURCE: Journal of Bacteriology, (1984) Vol. 160, No. 1, pp. 67-75.
CODEN: JOBAAY. ISSN: 0021-9193.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L10 ANSWER 66 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 27
ACCESSION NUMBER: 1984:215948 BIOSIS
DOCUMENT NUMBER: PREV198477048932; BA77:48932
TITLE: BETA-N ACETYL HEXOSAMINIDASE EC-3.2.1.52 AND ALPHA-D
MANNOSIDASE EC-3.2.1.24 FROM THE EPIGONAL LYMPHO MYELOID
ORGAN OF THE NURSE SHARK GINGLYMOSTOMA-CIRRATUM.
AUTHOR(S): LUNDBLAD G [Reprint author]; FANGE R; SLETTENGREN K
CORPORATE SOURCE: DEP CHEM, NATL BACTERIOL LAB, S-10521 STOCKHOLM, SWEDEN
SOURCE: Comparative Biochemistry and Physiology B, (1983) Vol. 76,
No. 2, pp. 277-282.
CODEN: CBPBB8. ISSN: 0305-0491.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L10 ANSWER 67 OF 92 MEDLINE on STN DUPLICATE 28
ACCESSION NUMBER: 83051471 MEDLINE
DOCUMENT NUMBER: 83051471 PubMed ID: 6814791
TITLE: Colorimetric **assays** for N-acetyl-beta-D-
glucosaminidase and beta-D-galactosidase in human urine
using newly-developed omega-nitrostyryl substrates.
AUTHOR: Yuen C T; Price R G; Chattaگون L; Richardson A C; Praill P
F
SOURCE: CLINICA CHIMICA ACTA, (1982 Sep 15) 124 (2) 195-204.
Journal code: 1302422. ISSN: 0009-8981.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 198301
ENTRY DATE: Entered STN: 19900317
Last Updated on STN: 19900317
Entered Medline: 19830119

L10 ANSWER 68 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1982:182099 BIOSIS
DOCUMENT NUMBER: PREV198273042083; BA73:42083
TITLE: GLYCOSIDASES AND ACID PHOSPHATASE IN VACUOLES ISOLATED FROM
ROOT TIPS OF ZEA-MAYS.
AUTHOR(S): POHL U [Reprint author]
CORPORATE SOURCE: MAX-PLANCK-INST MOLEKULARE GENETIK, ABT TRAUTNER, IHNESTR

63/73, D-1000 BERLIN 33
SOURCE: Berichte der Deutschen Botanischen Gesellschaft, (1981)
Vol. 94, No. 1-2, pp. 127-134.
CODEN: BEDBAP. ISSN: 0365-9631.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: GERMAN

L10 ANSWER 69 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1980:93489 BIOSIS
DOCUMENT NUMBER: PREV198019030987; BR19:30987
TITLE: URINARY ENZYME **ASSAYS** IN TOXICOLOGICAL STUDIES IN
THE RAT AND MARMOSET CALLITHRIX-JACCHUS.
AUTHOR(S): PIERCE R J [Reprint author]; PRICE R G; MARSDEN A M; FOWLER
J S L
CORPORATE SOURCE: DEP BIOCHEM, QUEEN ELIZABETH COLL, UNIV LOND, CAMPDEN HILL,
LONDON W8 7AH, ENGL, UK
SOURCE: (1979) pp. P201-214. DUBACH, U. C. AND U. SCHMIDT (ED.).
CURRENT PROBLEMS IN CLINICAL BIOCHEMISTRY, VOL. 9.
DIAGNOSTIC SIGNIFICANCE OF ENZYMES AND PROTEINS IN URINE;
PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM ON THE
BIOCHEMICAL ASPECTS OF THE DIAGNOSTIC VALUE OF URINE,
KANDERSTEG, SWITZERLAND, MAR. 8-11, 1978. 385P. HANS HUBER
PUBLISHERS: BERN, SWITZERLAND. ILLUS. PAPER.
Publisher: Series: Current Problems in Clinical
Biochemistry.
ISBN: 3-456-80689-2.
DOCUMENT TYPE: Book
Conference; (Meeting)
FILE SEGMENT: BR
LANGUAGE: ENGLISH

L10 ANSWER 70 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN DUPLICATE 29
ACCESSION NUMBER: 80013051 EMBASE
DOCUMENT NUMBER: 1980013051
TITLE: Coordinate secretion of acid hydrolases in rat bile.
Hepatocyte exocytosis of lysosomal protein?.
AUTHOR: LaRusso N.F.; Fowler S.
CORPORATE SOURCE: Rockefeller Univ., New York, N.Y. 10021, United States
SOURCE: Journal of Clinical Investigation, (1979) 64/4 (948-954).
CODEN: JCINAO
COUNTRY: United States
DOCUMENT TYPE: Journal
FILE SEGMENT: 029 Clinical Biochemistry
LANGUAGE: English

L10 ANSWER 71 OF 92 MEDLINE on STN
ACCESSION NUMBER: 79190602 MEDLINE
DOCUMENT NUMBER: 79190602 PubMed ID: 109249
TITLE: Urinary enzyme **assays** in toxicological studies in
the rat and marmoset.
AUTHOR: Pierce R J; Price R G; Marsden A M; Fowler J S
SOURCE: CURRENT PROBLEMS IN CLINICAL BIOCHEMISTRY, (1979) (9)
201-14.
Journal code: 0353507. ISSN: 0300-1725.
PUB. COUNTRY: Switzerland
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 197908
ENTRY DATE: Entered STN: 19900315
Last Updated on STN: 19970203
Entered Medline: 19790829

L10 ANSWER 72 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1979:521658 HCAPLUS
DOCUMENT NUMBER: 91:121658
TITLE: Enzymic **assays** of diagnostic value in
mucopolysaccharidoses and sphingolipidoses
AUTHOR(S): Ricci, R.; Tavella, D.; Segni, G.; Serra, A.
CORPORATE SOURCE: Fac. Med., Univ. Cattolica Sacro Cuore, Rome, Italy
SOURCE: Perspectives in Inherited Metabolic Diseases (1979),
1(Adv. Inborn Errors Metab.), 193-202
CODEN: PIMDDN; ISSN: 0391-7223
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 73 OF 92 MEDLINE on STN DUPLICATE 30
ACCESSION NUMBER: 79172457 MEDLINE
DOCUMENT NUMBER: 79172457 PubMed ID: 108231
TITLE: Hydrolase activities in normoblasts of beta-thalassemic
patients.
AUTHOR: Yatziv S; Abeliuk P; Rachmilewitz E A; Cividalli G; Kahane
I
SOURCE: ISRAEL JOURNAL OF MEDICAL SCIENCES, (1978 Nov) 14 (11)
1124-6.
Journal code: 0013105. ISSN: 0021-2180.
PUB. COUNTRY: Israel
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 197907
ENTRY DATE: Entered STN: 19900315
Last Updated on STN: 19900315
Entered Medline: 19790716

L10 ANSWER 74 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 31
ACCESSION NUMBER: 1978:235939 BIOSIS
DOCUMENT NUMBER: PREV197866048436; BA66:48436
TITLE: SCREENING FOR FLAVONOL 3 GLYCOSIDE SPECIFIC **BETA**
GLYCOSIDASES IN PLANTS USING A SPECTROPHOTOMETRIC
ENZYMATIC **ASSAY**.
AUTHOR(S): SURHOLT E [Reprint author]; HOESEL W
CORPORATE SOURCE: UNIV HINDENBURGPL 55, D-4400 MUENSTER, W GER
SOURCE: Phytochemistry (Oxford), (1978) Vol. 17, No. 5, pp.
873-878.
CODEN: PYTCAS. ISSN: 0031-9422.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L10 ANSWER 75 OF 92 SCISEARCH COPYRIGHT 2004 THOMSON ISI on STN
ACCESSION NUMBER: 78:211790 SCISEARCH
THE GENUINE ARTICLE: EZ521
TITLE: SCREENING FOR FLAVONOL 3-GLYCOSIDE SPECIFIC **BETA**
-GLYCOSIDASES IN PLANTS USING A
SPECTROPHOTOMETRIC ENZYMATI**C ASSAY**
AUTHOR: SURHOLT E (Reprint); HOESEL W
CORPORATE SOURCE: UNIV MUNSTER, LEHRSTUHL BIOCHEM PFLANZEN, D-4400 MUNSTER,
FED REP GER (Reprint)
COUNTRY OF AUTHOR: FEDERAL REPUBLIC OF GERMANY
SOURCE: PHYTOCHEMISTRY, (1978) Vol. 17, No. 5, pp. 873-877.
DOCUMENT TYPE: Article; Journal
FILE SEGMENT: LIFE; AGRI
LANGUAGE: ENGLISH
REFERENCE COUNT: 30

L10 ANSWER 76 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 32

ACCESSION NUMBER: 1979:144353 BIOSIS
DOCUMENT NUMBER: PREV197967024353; BA67:24353
TITLE: ISOLATION OF PLANT **BETA GLYCOSIDASES** IN
POLY ACRYLAMIDE GEL.
AUTHOR(S): ZHDANOV YU A [Reprint author]; KESSLER R M; YAKUBOVA N R;
KOLOKOLOVA N S
CORPORATE SOURCE: RES INST BIOL, ROSTOV UNIV, ROSTOV-NA-DONU, USSR
SOURCE: Fiziologiya Rastenii (Moscow), (1978) Vol. 25, No. 3, pp.
623-629.
CODEN: FZRSBV. ISSN: 0015-3303.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: RUSSIAN

L10 ANSWER 77 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

ACCESSION NUMBER: 1979:113335 BIOSIS
DOCUMENT NUMBER: PREV197917053335; BR17:53335
TITLE: CONTINUOUS FLOW FLUOROMETRIC **ASSAY** OF LYSOSOMAL
ENZYMES.
AUTHOR(S): MORGAN D M L; VINT S; RIDEOUT J M
SOURCE: Medical Laboratory Sciences, (1978) Vol. 35, No. 4, pp.
335-341.
CODEN: MLASDU. ISSN: 0308-3616.
DOCUMENT TYPE: Article
FILE SEGMENT: BR
LANGUAGE: Unavailable

L10 ANSWER 78 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1978:559856 HCAPLUS
DOCUMENT NUMBER: 89:159856
TITLE: Extracellular glycosidases of some oral streptococci
AUTHOR(S): Shizukuishi, Satoshi; Taniguchi, Tateshi; Shibata,
Satoaki; Matsumura, Takashi; Nonaka, Hideki; Saji,
Seisuke
CORPORATE SOURCE: Dep. Prev. Dent., Osaka Univ. Dent. Sch., Osaka, Japan
SOURCE: Nippon Shishubyo Gakkai Kaishi (1978), 20(2), 147-51
CODEN: NSKADI; ISSN: 0385-0110
DOCUMENT TYPE: Journal
LANGUAGE: Japanese

L10 ANSWER 79 OF 92 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

ACCESSION NUMBER: 80165852 EMBASE
DOCUMENT NUMBER: 1980165852
TITLE: Diagnosis of Gaucher's disease in cultured skin fibroblasts
and leucocytes.
AUTHOR: Butterworth J.; Broadhead D.M.
CORPORATE SOURCE: Dept. Pathol., Roy. Hosp. Sick Child., Edinburgh EH9 1LF,
United Kingdom
SOURCE: Journal of Inherited Metabolic Disease, (1978) 1/3
(111-113).
CODEN: JIMDDP
COUNTRY: United Kingdom
DOCUMENT TYPE: Journal
FILE SEGMENT: 029 Clinical Biochemistry
022 Human Genetics
013 Dermatology and Venereology
LANGUAGE: English

L10 ANSWER 80 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1975:95398 HCAPLUS

DOCUMENT NUMBER: 82:95398
TITLE: Glycosidases in cell wall-degrading extracts of ripening tomato fruits
AUTHOR(S): Wallner, Stephen J.; Walker, John E.
CORPORATE SOURCE: Food Lab., U. S. Army Natick Lab., Natick, MA, USA
SOURCE: Plant Physiology (1975), 55(1), 94-8
CODEN: PLPHAY; ISSN: 0032-0889
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 81 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1974:106294 HCAPLUS
DOCUMENT NUMBER: 80:106294
TITLE: Enzymes of carbohydrate metabolism in normal human sebaceous glands
AUTHOR(S): Im, Michael J. C.; Hoopes, John E.
CORPORATE SOURCE: Sch. Med., Johns Hopkins Univ., Baltimore, MD, USA
SOURCE: Journal of Investigative Dermatology (1974), 62(3), 153-60
CODEN: JIDEAE; ISSN: 0022-202X
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 82 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1971:432333 HCAPLUS
DOCUMENT NUMBER: 75:32333
TITLE: Characteristics of lysosomes in the rat placental cells
AUTHOR(S): Schultz, R. L.; Jacques, P. J.
CORPORATE SOURCE: Lab. Chim. Physiol., Univ. Louvain, Louvain, Belg.
SOURCE: Archives of Biochemistry and Biophysics (1971), 144(1), 292-303
CODEN: ABBIA4; ISSN: 0003-9861
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 83 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1972:97624 HCAPLUS
DOCUMENT NUMBER: 76:97624
TITLE: Comparison of the **.beta.-glycosidase** excretion during kidney damage induced by 4-nitrophenylarsonic acid and by rabbit antirat kidney antibodies
AUTHOR(S): Price, R. G.; Dance, N.; Robinson, D.
CORPORATE SOURCE: Queen Elizabeth Coll., Univ. London, London, UK
SOURCE: European Journal of Clinical Investigation (1971), 2(1), 47-51
CODEN: EJCIB8; ISSN: 0014-2972
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 84 OF 92 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1971:50750 BIOSIS
DOCUMENT NUMBER: PREV197107050750; BR07:50750
TITLE: FLUORIMETRIC DETECTION AND **ASSAY OF KIDNEY AND URINARY BETA GLYCOSIDASES.**
AUTHOR(S): ROBINSON D
SOURCE: (1970) pp. 42-52. ROTH, M. (EDITED BY). INTERNATIONAL CONGRESS OF CLINICAL CHEMISTRY, VOL. 1: METHODS IN CLINICAL CHEMISTRY. SYMPOSIUM. XIII + 321P. ILLUS. S. KARGER: BASEL, SWITZERLAND; UNIVERSITY PARK PRESS: BALTIMORE, MD., U.S.A.
DOCUMENT TYPE: Book
FILE SEGMENT: BR
LANGUAGE: Unavailable

L10 ANSWER 85 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1971:135407 HCAPLUS
DOCUMENT NUMBER: 74:135407
TITLE: Histochemical localization of **.beta.-glycosidases** in roots of Zea mays. I. Simultaneous coupling azo-dye technique for the localization of **.beta.-glucosidase** and **.beta.-galactosidase**
AUTHOR(S): Ashford, Anne E.
CORPORATE SOURCE: Dep. Biol., Carleton Univ., Ottawa, ON, Can.
SOURCE: Protoplasma (1970), 71(3), 281-93
CODEN: PROTA5; ISSN: 0033-183X
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 86 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1970:52980 HCAPLUS
DOCUMENT NUMBER: 72:52980
TITLE: Excretion of N-acetyl-**.beta.-glucosaminidase** and **.beta.-galactosidase** by patients with renal disease
AUTHOR(S): Dance, N.; Price, R. G.; Cattell, W. R.; Lansdell, J.; Richards, B.
CORPORATE SOURCE: Queen Elizabeth Coll., Univ. London, London, UK
SOURCE: Clinica Chimica Acta (1970), 27(1), 87-92
CODEN: CCATAR; ISSN: 0009-8981
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 87 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1970:52979 HCAPLUS
DOCUMENT NUMBER: 72:52979
TITLE: Excretion of N-acetyl-**.beta.-glucosaminidase** and **.beta.-galactosidase** following surgery to the kidney
AUTHOR(S): Price, Robert G.; Dance, Norman; Richards, Brian; Cattell, William R.
CORPORATE SOURCE: Dep. Biochem., Queen Elizabeth Coll., London, UK
SOURCE: Clinica Chimica Acta (1970), 27(1), 65-72
CODEN: CCATAR; ISSN: 0009-8981
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 88 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1971:400467 HCAPLUS
DOCUMENT NUMBER: 75:467
TITLE: Fluorimetric detection and **assay** of kidney and urinary **.beta.-glycosidases**
AUTHOR(S): Robinson, Donald
CORPORATE SOURCE: Queen Elizabeth Coll., Univ. London, London, UK
SOURCE: Int. Congr. Clin. Chem., [Proc.], 7th (1970), Meeting Date 1969, Volume 1, 42-52. Editor(s): Roth, Marc. Karger: Basel, Switz.
CODEN: 23ENAA
DOCUMENT TYPE: Conference
LANGUAGE: English

L10 ANSWER 89 OF 92 MEDLINE on STN DUPLICATE 33

ACCESSION NUMBER: 68052314 MEDLINE
DOCUMENT NUMBER: 68052314 PubMed ID: 4862741
TITLE: Fluorometric **assays** of different **beta-glycosidases** in microdissected pancreatic islets from obese-hyperglycemic mice.
AUTHOR: Hellman B
SOURCE: METABOLISM: CLINICAL AND EXPERIMENTAL, (1967 Nov) 16 (11)

1051-8.
Journal code: 0375267. ISSN: 0026-0495.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 196801
ENTRY DATE: Entered STN: 19900101
Last Updated on STN: 19900101
Entered Medline: 19680121

L10 ANSWER 90 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1968:65819 HCAPLUS
DOCUMENT NUMBER: 68:65819
TITLE: Mammalian glycosidases and their inhibition by
aldonolactones
AUTHOR(S): Levvy, Guildford A.; Conchie, James
CORPORATE SOURCE: Rowett Res. Inst., Aberdeen, UK
SOURCE: Methods in Enzymology (1966), 8, 571-84
CODEN: MENZAU; ISSN: 0076-6879
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 91 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1965:31672 HCAPLUS
DOCUMENT NUMBER: 62:31672
ORIGINAL REFERENCE NO.: 62:5636f-h
TITLE: Rat intestinal 6-bromo-2-naphthyl glycosidase and
disaccharidase activities. I. Enzymic properties and
distribution in the digestive tract of conventional
and germ-free animals
AUTHOR(S): Dahlqvist, A.; Bull, B.; Gustafsson, B. E.
CORPORATE SOURCE: Univ. Lund, Swed.
SOURCE: Archives of Biochemistry and Biophysics (1965),
109(1), 150-8
CODEN: ABBIA4; ISSN: 0003-9861
DOCUMENT TYPE: Journal
LANGUAGE: English

L10 ANSWER 92 OF 92 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1964:413184 HCAPLUS
DOCUMENT NUMBER: 61:13184
ORIGINAL REFERENCE NO.: 61:2225c-e
TITLE: Fluorimetric determination of glycosidases in the
locust (Locusta migratoria) and other insects
AUTHOR(S): Robinson, D.
CORPORATE SOURCE: Univ. London
SOURCE: Comparative Biochemistry and Physiology (1964), 12(1),
95-105
CODEN: CBCPAI; ISSN: 0010-406X
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS,
LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A) GLYCOSIDASE?
L2 2 S THERMOPHILIC
L3 188 S L1 AND ASSAY?
L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT

L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE
 L6 24552 S SYNTHESIS AND L5
 L7 91 S L1 AND L6
 L8 16 S L4 AND L7
 L9 10 DUP REM L8 (6 DUPLICATES REMOVED)
 L10 92 DUP REM L3 (96 DUPLICATES REMOVED)
 L11 4 S L10 AND L5

=> e matsui i/au

E1 1 MATSUI HOROYUKI/AU
 E2 1 MATSUI HROSHI/AU
 E3 621 --> MATSUI I/AU
 E4 1 MATSUI I G/AU
 E5 1 MATSUI I KOJI/AU
 E6 1 MATSUI I M/AU
 E7 1 MATSUI I MASANAO/AU
 E8 1 MATSUI I S/AU
 E9 3 MATSUI I S L/AU
 E10 1 MATSUI ICHINOSUKE/AU
 E11 91 MATSUI ICHIRO/AU
 E12 1 MATSUI ICHIZO/AU

=> s e3

L12 621 "MATSUI I"/AU

=> e ishikawa k/au

E1 1 ISHIKAWA JYUNKO/AU
 E2 1 ISHIKAWA JYUZABURO/AU
 E3 8313 --> ISHIKAWA K/AU
 E4 5 ISHIKAWA K */AU
 E5 18 ISHIKAWA K B/AU
 E6 1 ISHIKAWA K H/AU
 E7 209 ISHIKAWA K I/AU
 E8 1 ISHIKAWA K J/AU
 E9 1 ISHIKAWA K N/AU
 E10 4 ISHIKAWA K S/AU
 E11 4 ISHIKAWA K Y/AU
 E12 2 ISHIKAWA KACHIHIRO/AU

=> s e3

L13 8313 "ISHIKAWA K"/AU

=> e ishida h/au

E1 6 ISHIDA GORO/AU
 E2 1 ISHIDA GOROU/AU
 E3 5906 --> ISHIDA H/AU
 E4 1 ISHIDA H */AU
 E5 1 ISHIDA H HIDEKI/AU
 E6 4 ISHIDA H I/AU
 E7 13 ISHIDA H K/AU
 E8 2 ISHIDA H S/AU
 E9 1 ISHIDA H Y/AU
 E10 1 ISHIDA HAITOSHI/AU
 E11 183 ISHIDA HAJIME/AU
 E12 1 ISHIDA HAKASE/AU

=> s e3

L14 5906 "ISHIDA H"/AU

=> e kosugi y/au

E1 2 KOSUGI W/AU
 E2 2 KOSUGI WATARU/AU
 E3 454 --> KOSUGI Y/AU
 E4 1 KOSUGI Y */AU

E5 7 KOSUGI YAE/AU
 E6 9 KOSUGI YASUHIKO/AU
 E7 1 KOSUGI YASUHIRO/AU
 E8 5 KOSUGI YASUHITO/AU
 E9 1 KOSUGI YASUMASA/AU
 E10 1 KOSUGI YASUNORI/AU
 E11 1 KOSUGI YASUO/AU
 E12 2 KOSUGI YASUSHI/AU

=> s e3

L15 454 "KOSUGI Y"/AU

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A)GLYCOSIDASE?
 L2 2 S THREMOPHILIC
 L3 188 S L1 AND ASSAY?
 L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT
 L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE
 L6 24552 S SYNTHESIS AND L5
 L7 91 S L1 AND L6
 L8 16 S L4 AND L7
 L9 10 DUP REM L8 (6 DUPLICATES REMOVED)
 L10 92 DUP REM L3 (96 DUPLICATES REMOVED)
 L11 4 S L10 AND L5
 E MATSUI I/AU
 L12 621 S E3
 E ISHIKAWA K/AU
 L13 8313 S E3
 E ISHIDA H/AU
 L14 5906 S E3
 E KOSUGI Y/AU
 L15 454 S E3

=> s l12 or l13 or l14 or l15

L16 15129 L12 OR L13 OR L14 OR L15

=> s l3 and l16

L17 0 L3 AND L16

=> s l1 and l16

L18 4 L1 AND L16

=> dup rem l18

PROCESSING COMPLETED FOR L18

L19 1 DUP REM L18 (3 DUPLICATES REMOVED)

=> d all

L19 ANSWER 1 OF 1 MEDLINE on STN DUPLICATE 1
 AN 2000141228 MEDLINE
 DN 20141228 PubMed ID: 10675537
 TI Novel substrate specificity of a membrane-bound **beta-glycosidase** from the hyperthermophilic archaeon *Pyrococcus horikoshii*.
 AU Matsui I; Sakai Y; Matsui E; Kikuchi H; Kawarabayasi Y; Honda K
 CS National Institute of Bioscience and Human-Technology, Tsukuba, Ibaraki, Japan.. ikmatsui@nibh.go.jp
 SO FEBS LETTERS, (2000 Feb 11) 467 (2-3) 195-200.
 Journal code: 0155157. ISSN: 0014-5793.

CY Netherlands
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 200003
 ED Entered STN: 20000413
 Last Updated on STN: 20000413
 Entered Medline: 20000331
 AB A **beta-glycosidase** gene homolog of *Pyrococcus horikoshii* (BGPh) was successfully expressed in *Escherichia coli*. The enzyme was localized in a membrane fraction and solubilized with 2.5% Triton X-100 at 85 degrees C for 15 min. The optimum pH was 6.0 and the optimum temperature was over 100 degrees C, respectively. BGPh stability was dependent on the presence of Triton X-100, the enzyme's half-life at 90 degrees C (pH 6.0) was 15 h. BGPh has a novel substrate specificity with $k(\text{cat})/K(\text{m})$ values high enough for hydrolysis of beta-D-Glcp derivatives with long alkyl chain at the reducing end and low enough for the hydrolysis of beta-linked glucose dimer more hydrophilic than aryl- or alkyl-beta-D-Glcp.
 CT Check Tags: Comparative Study
 Amino Acid Sequence
 Binding Sites
 Cloning, Molecular
Escherichia coli: GE, genetics
 Glucosylceramidase: CH, chemistry
 Glucosylceramidase: GE, genetics
 *Glucosylceramidase: ME, metabolism
 Hydrogen-Ion Concentration
 *Membrane Proteins: ME, metabolism
 Molecular Sequence Data
 *Pyrococcus: EN, enzymology
 Sequence Alignment
 Substrate Specificity
 Temperature
 CN 0 (Membrane Proteins); EC 3.2.1.45 (Glucosylceramidase)

=> d his

(FILE 'HOME' ENTERED AT 09:51:56 ON 21 JAN 2004)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 09:53:31 ON 21 JAN 2004

L1 2031 S BETA(A)GLYCOSIDASE?
 L2 2 S THERMOPHILIC
 L3 188 S L1 AND ASSAY?
 L4 6329367 S CLON? OR EXPRESS? OR RECOMBINANT
 L5 141988 S OLIGOSACCHARIDE OR HETEROSACCHARIDE
 L6 24552 S SYNTHESIS AND L5
 L7 91 S L1 AND L6
 L8 16 S L4 AND L7
 L9 10 DUP REM L8 (6 DUPLICATES REMOVED)
 L10 92 DUP REM L3 (96 DUPLICATES REMOVED)
 L11 4 S L10 AND L5
 E MATSUI I/AU
 L12 621 S E3
 E ISHIKAWA K/AU
 L13 8313 S E3
 E ISHIDA H/AU
 L14 5906 S E3
 E KOSUGI Y/AU
 L15 454 S E3
 L16 15129 S L12 OR L13 OR L14 OR L15
 L17 0 S L3 AND L16

L18
L19

4 S L1 AND L16
1 DUP REM L18 (3 DUPLICATES REMOVED)

	Issue Date	Pages	Document ID	Title
1	20031016	362	US 20030194784 A1	DNA encoding methymycin and pikromycin
2	20031016	45	US 20030194469 A1	Process for producing aglycon by using diglycosidase and flavor-improved food containing the aglycon and converting agent to be used in the process
3	20030918	25	US 20030175828 A1	Signal amplification by Hybrid Capture
4	20030626	32	US 20030119874 A1	Method for enhancing mutant enzyme activity in gaucher disease
5	20030605	22	US 20030103902 A1	Membrane transportable fluorescent substrates
6	20030508	340	US 20030087405 A1	Products encoded by a methymycin/pikromycin biosynthetic gene cluster
7	20030417	14	US 20030073165 A1	Directed evolution of thermophilic enzymes
8	20021226	27	US 20020198225 A1	Method for enhancing mutant enzyme activities in lysosomal storage disorders
9	20021107	341	US 20020164742 A1	DNA encoding methymycin and pikromycin
10	20020822	8	US 20020114813 A1	Compounds
11	20020815	341	US 20020110897 A1	Polyketide synthase encoded by a methymycin/pikromycin biosynthetic gene cluster
12	20020801	26	US 20020102635 A1	METHODS FOR MAKING AND USING A THERMOPHILIC ENZYME AS A BETA-GLYCOSIDASE
13	20020606	11	US 20020068340 A1	COMBINATORIAL ENZYME DEVELOPMENT
14	20020321	25	US 20020035072 A1	Method for enhancing mutant enzyme activities in lysosomal storage disorders

	Issue Date	Pages	Document ID	Title
15	20030729	32	US 6599919 B2	Method for enhancing mutant enzyme activities in lysosomal storage disorders
16	20030708	33	US 6589964 B2	Method for enhancing mutant enzyme activities in lysosomal storage disorders
17	20030624	34	US 6583158 B1	Method for enhancing mutant enzyme activities in lysosomal storage disorders
18	20030114	40	US 6506592 B1	Hyperthermophilic alpha-glucosidase gene and its use
19	20020101	27	US 6335179 B1	Directed evolution of thermophilic enzymes
20	20010814	7	US 6274349 B1	Process for the preparation of long-chain alkylglycosides
21	20010724	334	US 6265202 B1	DNA encoding methymycin and pikromycin
22	19990817		US 5939250 A	Production of enzymes having desired activities by mutagenesis
23	19981103		US 5830696 A	Directed evolution of thermophilic enzymes
24	19970930		US 5672470 A	Microbial process for detection of toxic substances
25	19940621		US 5322686 A	Pharmaceutical preparation for controlling pathogenic intestinal bacteria

	Issue Date	Pages	Document ID	Title
26	19940308		US 5292669 A	Agents for the detection of substrates with hydrolase activity
27	19940301		US 5290948 A	Process for producing polyhydroxylated piperidines and pyrrolidines and compounds thereof
28	19931109		US 5260428 A	Agent for the detection of substances with hydrolase activity
29	19930413		US 5202233 A	Process for the detection of substances with hydrolase activity
30	19910709		US RE33635 E	Enzymatic assay method

	Issue Date	Pages	Document ID	Title
31	19890919		US 4868106 A	Analytical element and method for determining a component in a test sample
32	19870728		US 4683198 A	Novel maltose dehydrogenase, process for its production, and analytical method using the same
33	19870721		US 4681841 A	Enzymatic assay method
34	19771220		US 4064277 A	Method for processing soybeans

	Issue Date	Pages	Document ID	Title
1	20030729	32	US 6599919 B2	Method for enhancing mutant enzyme activities in lysosomal storage disorders
2	20030708	33	US 6589964 B2	Method for enhancing mutant enzyme activities in lysosomal storage disorders
3	20030624	34	US 6583158 B1	Method for enhancing mutant enzyme activities in lysosomal storage disorders
4	19900417	12	US 4918009 A	Method of controlling the regioselectivity of glycosidic bonds

	Issue Date	Pages	Document ID	Title
1	20020801	26	US 20020102635 A1	METHODS FOR MAKING AND USING A THERMOPHILIC ENZYME AS A BETA-GLYCOSIDASE
2	19890919	22	US 4868106 A	Analytical element and method for determining a component in a test sample
3	19870728	17	US 4683198 A	Novel maltose dehydrogenase, process for its production, and analytical method using the same

	L #	Hits	Search Text
1	L1	137	beta adj glycosidase\$2
2	L2	657471	assay or substrate\$2
3	L3	34	l1 same l2
4	L4	7255	oligosaccharide or heterosaccharide
5	L5	268170	synthesis
6	L6	983	l4 same l5
7	L7	0	l3 same l6
8	L8	4	l1 same l6
9	L9	3526	matsui.in.
10	L10	6413	ishikawa.in.
11	L11	498	kosugi.in.
12	L12	4323	ishida.in.

	L #	Hits	Search Text
13	L13	14595	l9 or l10 or l11 or l12
14	L14	3	l1 and l13